

## AMBITIOUS EXPECTATIONS: SOMATIC EMBRYOGENESIS IN ORNAMENTAL PLANT PROPAGATION

Annette Hohe

Leibniz-Institute of Vegetable and Ornamental Crops (IGZ), 101 Kuehnhaeuser str.,  
99189 Erfurt, Germany, Fax: + 49 36201 785 250, E-mail: hohe@erfurt.igzev.de

### REFERENCES

- ANONYMUS (2009). Kengetallen 2009. Flora Holland. <http://www.floraholland.com/nl/overfloraholland/Cooperatie/Documents/KengetallenNL2009.pdf> (accessed: August 3rd. 2010)
- AMMIRATO P. V. (1983a). Embryogenesis. In: Evans D. A., Sharp W. R., Ammirato P. V., Yamada Y. (Eds). Handbook of Plant Cell Culture, vol. 1, Macmillan Publishing Co.: 82-123.
- AMMIRATO P. V. (1983b). The regulation of somatic embryo development in plant cell cultures: suspension culture techniques and hormone requirements. Bio/Technology, March: 68-74.
- AMMIRATO P. V., STYER D. J. (1985). Strategies for large-scale manipulation of somatic embryos in suspension culture. In: Zaitlin M., Day P., Hollaender A. (Eds). Biotechnology in Plant Science: Relevance to agriculture in the eithies. Academic Press: 161-178.
- BACH A. (1992). Somatic embryogenesis from zygotic embryos and meristems of *Freesia hybrida*. Acta Horticulturae, 325: 429-434.
- BEGUM A., TAMAKI M., TAHARA M., KAKO S. (1994). Somatic embryogenesis in *Cymbidium* through *in-vitro* culture of inner tissue of protocorm-like bodies. Journal of the Japanese Society of Horticultural Science, 63: 419-427.
- BEYRAMIZADE E., AZADI P., MII M. (2008). Optimization of factors affecting organogenesis and somatic embryogenesis of *Anthurium andreanum* Lind. 'Tera'. Propagation of Ornamental Plants, 8: 198-203.
- BIRNBAUM K. D., ALVARADO A. S. (2008). Slicing across Kingdoms: Regeneration in Plants and Animals. Cell, 132: 697-710.
- CAIRNEY J., PULLMAN G. S. (2007). The cellular and molecular biology of conifer embryogenesis. New Phytologist, 176: 511-536.
- CHAKRABARTY D., YU K., PAE K. (2003). Detection of DNA methylation changes during somatic embryogenesis of Siberian ginseng (*Eleuterococcus senticosus*). Plant Science, 165: 61-68.
- CHEN J., CHANG W. (2006). Direct somatic embryogenesis and plant regeneration from leaf explants of *Phalaenopsis amabilis*. Biologia Plantarum, 50: 169-173.
- CHEN X., MA Y., CHEN F., SONG W., ZHANG L. (2009). Analysis of DNA methylation patterns of PLBs derived from *Cymbidium hybridum* based on MSAP. Plant Cell, Tissue and Organ Culture, 98: 67-77.
- CHUGH S., GUHA S., RAO I. (2009). Micropropagation of orchids: A review on the potential of different explants. Scientia Horticulturae 122: 507-520.
- DA SILVA J., TANAKA M. (2006). Multiple regeneration pathways via thin cell layers in hybrid *Cymbidium* (Orchidaceae). Journal of Plant Growth Regulation, 25: 203-210.
- ECKHAUT T. G. R., WERBROUCK S. P. O., LEUS L. W. H., VAN BOCKSTAELE E. J., DEBERGH P. C. T. (2004). Chemically induced polyploidization in *Spathiphyllum wallisii* Regel through somatic embryogenesis. Plant Cell, Tissue and Organ Culture, 78: 241-246.
- EWALD A. (1996). Interspecific hybridization between *Cyclamen persicum* Mill. and *Cyclamen purpurascens* Mill. Plant Breeding, 115: 162-166.
- GAO X., YANG D., CAO D., AO M., SUI X., WANG Q., KIMATU J. N., WANG L. (2010). *In vitro* micropropagation of *Freesia hybrida* and the assessment of genetic and epigenetic stability in regenerated plants. Journal of Plant Growth Regulation, 29: 257-267.
- GARCÉS, H. M. P., CHAMPAGNE C. E. M., TOWNSLEY B. T., PARK S., MALHO R., PEDROSO M. C., HARADA J. J., SINHA N. R. (2007). Evolution of asexual reproduction in leaves of the genus *Kalanchoe*. Proceedings of the National Academy of Sciences of the United States of America, 104: 15578-15583.
- GOW W., CHEN J., CHANG W. (2008). Influence of growth regulators on direct embryo formation from leaf explants of *Phalaenopsis* orchids. Acta Physiologiae Plantarum, 30: 507-512.
- HACCIUS B. (1978). Question of unicellular origin of non-zygotic embryos in callus-cultures. Phytomorphology, 28: 74-81.
- HACCIUS B., LAKSHMANAN K. K. (1969). Adventiv-Embryonen - Embryoide - Adventiv-Knospen. Ein Beitrag zur Klärung der Begriffe. Österreichische Botanische Zeitschrift, 116: 145-158.
- HAENSCH K. (1996). Plant regeneration through somatic embryogenesis in different genotypes of *Lilium*-hybrids. Gartenbauwissenschaft, 61: 214-218.
- HAENSCH K. (2004a). Morpho-histological study of somatic embryo-like structures in hypocotyl cultures of *Pelargonium × hortorum* Bailey. Plant Cell Reports, 22: 376-381.
- HAENSCH K. (2004b). Thidiazuron-induced morphogenetic response in petiole cultures of *Pelargonium × hortorum* and *Pelargonium × domesticum* and its histological analysis. Plant Cell Reports, 23: 211-217.
- HAENSCH K. (2007). Influence of 2,4-D and BAP on callus growth and the subsequent regeneration of somatic embryos in long-term cultures of *Pelargonium × domesticum* cv. *Madame Loyal*. Electronic Journal of Biotechnology, 10: 69-77.
- HAMIDAH M., KARIM A., DEBERGH P. (1997). Somatic embryogenesis and plant regeneration in *Anthurium scherzerianum*. Plant Cell, Tissue and Organ Culture, 48: 189-193.

- HUAN L., TAKAMURA T., TANAKA A. (2004). Callus formation and plant regeneration from callus through somatic embryo structures in *Cymbidium* orchid. *Plant Science*, 166: 1443-1449.
- HUTCHINSON M., MURCH S., SAXENA P. (1996). Morphoregulatory role of thidiazuron: Evidence of the involvement of endogenous auxin in thidiazuron-induced somatic embryogenesis of geranium (*Pelargonium × hortorum* Bailey). *Journal of Plant Physiology*, 149: 573-579.
- ISHII Y., TAKAMURA T., GOI M., TANAKA M. (1998). Callus induction and somatic embryogenesis of *Phalaenopsis*. *Plant Cell Reports*, 17: 446-450.
- KAEPLER S., PHILLIPS R. (1993). Tissue culture-induced DNA methylation variation in maize. *Proceedings of the National Academy of Sciences of the United States of America*, 90: 8773-8776.
- KAEPLER S., KAEPLER H., RHEE Y. (2000). Epigenetic aspects of somaclonal variation in plants. *Plant Molecular Biology*, 43: 179-188.
- KRISHNARAJ S., BI Y., SAXENA P. (1997). Somatic embryogenesis and *Agrobacterium*-mediated transformation system for scented geraniums (*Pelargonium* sp. 'Frensham'). *Planta*, 201: 434-440.
- KUEHNLE A., CHEN F., SUGH N. (1992). Somatic embryogenesis and plant regeneration in *Anthurium andreanum* hybrids. *Plant Cell Reports*, 11: 438-442.
- KUO H., CHEN J., CHANG W. (2005). Efficient plant regeneration through direct somatic embryogenesis from leaf explants of *Phalaenopsis* 'Little Steve'. *In Vitro Cellular & Developmental Biology-Plant*, 41: 453-456.
- LARKIN P., SCOWCROFT W. (1981). Somaclonal variation - a novel source of variability from cell-cultures for plant improvement. *Theoretical and Applied Genetics*, 60: 197-214.
- LILJEN-KIPNIS H., AZIZBEKOVA N., ZIV M. (1994). Scaled-up proliferation and regeneration of *Nerine* in liquid cultures Part II. Ontogeny of somatic embryos and bulblet regeneration. *Plant Cell, Tissue and Organ Culture*, 39: 117-123.
- MANDAL A., DATTA S. (2005). Direct somatic embryogenesis and plant regeneration from ray florets of chrysanthemum. *Biologia Plantarum*, 49: 29-33.
- MARCHANT R., DAVEY M. R., LUCAS J. A., POWER J. B. (1996). Somatic embryogenesis and plant regeneration in Floribunda rose (*Rosa hybrida* L.) cvs *Trumpeter* and *Glad Tidings*. *Plant Science*, 120: 95-105.
- MARSOLAIS A. A., WILSON D. P. M., TSUJITA M. J., SENARATNA T. (1991). Somatic embryogenesis and artificial seed production in zonal (*Pelargonium × hortorum*) and regal (*Pelargonium × domesticum*) geranium. *Canadian Journal of Botany*, 69: 1188-1193.
- MAY R., TRIGIANO R. (1991). Somatic embryogenesis and plant regeneration from leaves of *Dendranthema grandiflora*. *Journal of the American Society for Horticultural Science*, 116: 366-371.
- MOREL G. M. (1960). Producing virus-free *Cymbidium* through tissue culture of the shoot meristem. *American Orchid Society Bulletin*, 29: 495-497.
- MUJIB A., BANERJEE S., GHOSH P. (2007). Callus induction, somatic embryogenesis and chromosomal instability in tissue culture-raised hippeastrum (*Hippeastrum hybridum* cv. *United Nations*). *Propagation of Ornamental Plants*, 7: 169-174.
- NAYAK N. R., SAHOO S., PATNAIK S., RATH S. P. (2002). Establishment of thin cross section (TCS) culture method for rapid micropropagation of *Cymbidium aloifolium* (L.) Sw. and *Dendrobium nobile* Lindl. (Orchidaceae). *Scientia Horticulturae*, 94: 107-116.
- NHUT D. T., VAN LE B., MINH N. T., DE SILVA J. T., FUKAI S., TANAKA M., VAN K. T. T. (2002). Somatic embryogenesis through pseudo-bulblet transverse thin cell layer of *Lilium longiflorum*. *Plant Growth Regulation*, 37: 193-198.
- NHUT D. T., TUAN N. S., NGOC H. M., UYEN P. N., DON N. T., MAI N. T., DA SILVA J. A. T. (2006). Somatic embryogenesis induction from *in vitro* leaf cultures of lisianthus (*Eustoma grandiflorum* (Raf.) Shinn.). *Propagation of Ornamental Plants*, 6: 121-127.
- NOCEDA C., SALAJ T., PEREZ M., VIEJO M., CANAL M. J., SALAJ J., RODRIGUEZ R. (2009). DNA demethylation and decrease on free polyamines is associated with the embryogenic capacity of *Pinus nigra* Arn. cell culture. *Trees-Structure and function*, 23: 1285-1293.
- PARK Y. S., KAKUTA S., KANO A., OKABE M. (1996). Efficient propagation of protocorm-like bodies of *Phalaenopsis* in liquid medium. *Plant Cell, Tissue and Organ Culture*, 45: 79-85.
- PARK S., MURTHY H., PAK K. (2002). Rapid propagation of *Phalaenopsis* from floral stalk-derived leaves. *In Vitro Cellular & Developmental Biology-Plant*, 38: 168-172.
- PHILLIPS R., KAEPLER S., OLHOST P. (1994). Genetic instability of plant tissue cultures - breakdown of normal controls. *Proceedings of the National Academy of Sciences of the United States of America*, 91: 5222-5226.
- PREIL W. (1991). Application of Bioreactors in Plant Propagation. In: Debergh P. C., Zimmerman R. H. (Eds). *Micropropagation: Technology and Application*. Kluwer Academic Publishers: 425-445.
- PTAK A., BACH A. (2007). Somatic embryogenesis in tulip (*Tulipa gesneriana* L.) flower stem cultures. *In Vitro Cellular & Developmental Biology-Plant*, 43: 35-39.
- ROBERTS A. V., YOKOYA K., WALKER S., MOTTLEY J. (1995). Somatic embryogenesis in *Rosa* ssp. In: Jain S. M., Gupta P., Newton R. (Eds). *Somatic embryogenesis in woody plants*, Kluwer Academic Publishers, vol. 2: 277-289.
- SANTOS D., FEVEREIRO P. (2002). Loss of DNA methylation affects somatic embryogenesis in *Medicago truncatula*. *Plant Cell, Tissue and Organ Culture*, 70: 155-161.
- SCHWENKEL H. G., WINKELMANN T. (1998). Plant regeneration via somatic embryogenesis from ovules of *Cyclamen persicum* Mill. *Plant Tissue Culture and Biotechnology*, 4: 28-34.
- SEYRING M., HOHE A. (2005). Induction of desiccation-tolerance in somatic embryos of *Cyclamen persicum* Mill. *Journal of Horticultural Science & Biotechnology*, 80: 65-69.
- SLIMMON T., QURESHI J., SAXENA P. (1991). Phenylacetic acid-induced somatic embryogenesis in cultured hypocotyl explants of geranium (*Pelargonium × hortorum* Bailey). *Plant Cell Reports*, 10: 587-589.
- TANAKA K., KANNO Y., KUDO S., SUZUKI M. (2000). Somatic embryogenesis and plant regeneration in chrysanthemum (*Dendranthema grandiflorum* (Ramat.) Kitamura). *Plant Cell Reports*, 19: 946-953.
- TIAN C., CHEN Y., ZHAO X., ZHAO L. (2008). Plant regeneration through protocorm-like bodies induced from rhizoids using leaf ex-

- plants of *Rosa* spp. *Plant Cell Reports*, 27: 823-831.
- TOKUHARA K., MII M. (1993) Micropropagation of *Phalaenopsis* and *Doritaenopsis* by culturing shoot tips of flower stalk buds. *Plant Cell Reports*, 13: 7-11.
- TRIBULATO A., REMOTTI P. C., LOFFLER H. J. M., VAN TUYL J. M. (1997). Somatic embryogenesis and plant regeneration in *Lilium longiflorum* Thunb. *Plant Cell Reports*, 17: 113-118.
- TURNER B. (2007). Defining an epigenetic code. *Nature Cell Biology*, 9: 2-6.
- VALLEDOR L., MEJON M., HASBUN R., CANAL M. J., RODRIGUEZ R. (2010). Variations in DNA methylation, acetylated histone H4, and methylated histone H3 during *Pinus radiata* needle maturation in relation to the loss of *in vitro* organogenic capability. *Journal of Plant Physiology*, 167: 351-357.
- VASIL I., HILDEBRANDT A. C. (1966). Variations of morphogenetic behavior in plant tissue cultures. 1. *Cichorium andiva*. *American Journal of Botany*, 53: 860-869.
- WANG L., HUANG B., HE M., HAO S. (1990). Somatic embryogenesis and its hormonal regulation in tissue cultures of *Freesia refracta*. *Annals of Botany*, 65: 271-276.
- WINKELMANN T., GEIER T., PREIL W. (2006). Commercial *in vitro* plant production in Germany in 1985-2004. *Plant Cell, Tissue and Organ Culture*, 86: 319-327.
- YANG X., ZHANG X. (2010). Regulation of somatic embryogenesis in higher plants. *Critical Reviews in Plant Sciences*, 29: 36-57.
- ZAKIZADEH H., DEBENER T., SRISKANDARAJAH S., FRELLO S., SEREK M. (2008). Regeneration of miniature potted rose (*Rosa hybrida* L.) via somatic embryogenesis. *European Journal of Horticultural Science*, 73: 111-117.
- ZENG, F., ZHANG X., CHENG L., HU L., ZHU L., CAO J., GUO X. (2007). A draft gene regulatory network for cellular totipotency reprogramming during plant somatic embryogenesis. *Genomics*, 90: 620-628.
- ZIV M. (1989). Enhanced shoot and cormlet proliferation in liquid cultured *Gladiolus* buds by growth retardants. *Plant Cell, Tissue and Organ Culture*, 17: 101-110.
- ZIV M. (2005). Simple bioreactors for mass propagation of plants. *Plant Cell, Tissue and Organ Culture*, 81: 277-285.
- ZIV M., KAHANY S., LILJEN-KIPNIS H. (1994). Scaled-up proliferation and regeneration of *Nerine* in liquid cultures Part I. The induction and maintenance of proliferating meristematic clusters by paclobutrazol in bioreactors. *Plant Cell, Tissue and Organ Culture*, 39: 109-115.