

## FACTORS AFFECTING ADVENTITIOUS SHOOT FORMATION IN *FRAXINUS EXCELSIOR* L.

Desislava Dancheva\* and Ivan Iliev

Laboratory of Biotechnology and Molecular Genetics, University of Forestry, 10 Kliment Ohridski blvd.,  
1797 Sofia, Bulgaria, \*Fax: + 359 862 28 30, \*E-mail: danchevadesislava@gmail.com

### REFERENCES

- ARRILLAGA I. V., LERMAN V., SEGURA J. (1992). Micropropagation of juvenile and adult flowering ash. *Journal of the American Society for Horticultural Science*, 117: 346-350.
- BATES S., PREECE J. E., NAVARRETE N. E., VAN SAMBEEK J. W., GAFFNEY G. R. (1992). Thidiazuron stimulates shoot organogenesis and somatic embryogenesis in white ash (*Fraxinus americana* L.). *Plant Cell, Tissue and Organ Culture*, 31: 21-29.
- BEASLEY R. R., PIJUT P. M. (2013). Regeneration of plants from *Fraxinus nigra* Marsh. hypocotyls. *HortScience*, 48: 887-890.
- BERTHON J. Y., BOYER N., GASPARD TH. (1989). Brief and long NAA rooting inductive treatments in *Sequoiadendron giganteum* and the effect of auxin autoclaving. *Mededelingen Faculteit van de Landbouwkundige, Rijksuniversiteit te Gent*, 54/2a: 403-407.
- BOKE N. H., ROSS R. G. (1978). Fasciation and dichotomous branching in *Echinocereus* (Cactaceae). *American Journal of Botany*, 65: 522-530.
- BONGA J. M., VON ADREKAS P. (1992). *In vitro* culture of trees. Kluwer Academic Publisher. 236 pp.
- CHALUPA V. (1983). Micropropagation of conifer and broadleaved forest trees. *Communicationes Instituti Forestalis Czechosloveniae*, 13: 7-39.
- CHALUPA V. (1990). Micropropagation of hornbeam (*Carpinus betulus* L.) and ash (*Fraxinus excelsior* L.). *Biologia Plantarum (Praha)*, 35: 332-338.
- COMPTON M. E. (1994). Statistical methods suitable for the analysis of plant tissue culture data. *Plant Cell, Tissue and Organ Culture*, 37: 217-242.
- CORNU D., GARBAYE J., LAPLACE Y., LE TACON F., PICARD J. F. (1977). Le bouturage de feuillus divers. *Revue Forestière Française*, 29: 279-284.
- DANCHEVA D. (2005). Autovegetative propagation of common ash (*Fraxinus excelsior* L.). *Nauka za gorata*, XLI: 17-30 (in Bulgarian).
- DANCHEVA D. (2009). Heterovegetative propagation (grafting) of some cultivars of common ash (*Fraxinus excelsior* L.). In: Iakimova E., Atanasova B., Ivanova I. (Eds). *Proceedings of the Jubilee Scientific Session "The Floriculture - Traditions and Challenges"*. Institute of Ornamental Plants, Sofia: 41-44 (in Bulgarian).
- DANCHEVA D. (2012). Possibilities for cloning of common ash (*Fraxinus excelsior* L.). PhD thesis, University of Forestry, Sofia, 132 pp. (in Bulgarian).
- DANCHEVA D. (2014). Rooting and acclimatization of micropropagated shoots of *Fraxinus excelsior* L. *Oltenia Journal for Studies in Natural Sciences*, vol. XXX, (1): 75-80.
- DAS S. C., BARMAN T. S., SINGH R. (1990). Plant regeneration and establishment in the nursery. *The Assam Review and Tea News*, 79: 24-27.
- DEBNATH S. C. (2005). A two-step procedure for adventitious shoot regeneration from *in vitro*-derived Lingonberry leaves: shoot induction with TDZ and shoot elongation using zeatin. *HortScience*, 40: 189-192.
- DE KLERK G-J. (2001). Rooting of micropropagules. In: Waisel Y., Eschel A., Kafkafi U. (Eds). *Plant roots: The hidden half*. Marcel Dekker Publisher, New York-Basel: 349-357.
- DE KLERK G-J., VAN DER KRIEKEN W., DE JONG J. C. (1999). The formation of adventitious roots: new concepts, new possibilities. *In vitro Cellular & Developmental Biology-Plant*, 35: 189-199.
- DIRR M. A. (1998). *Manual of woody landscape plants: Their identification, ornamental characteristics, culture, propagation and uses*. Fifth Edition. Stipes publishing L. L. C. Champaign. Illinois, 1187 pp.
- DIRR M. A., HEUSER C. W. (1987). *The reference manual of woody plant propagation: from seed to tissue culture*. Varsity Press. Athens, GA, 239 pp.
- DOBRI NOV I., DOJKOV G., GAGOV V. (1982). Common ash (*Fraxinus excelsior* L.). In: Petrov M. N., Kalinkov V. K. (Eds). *Forest Genetic Pool in PRB, Zemizdat, Sofia*, 259 pp. (in Bulgarian).
- DOUGLAS G. C., MCNAMARA J., THOMPSON D. (1996). A tube method for grafting small diameter scions of the hardwoods *Quercus*, *Fraxinus*, *Betula* and *Sorbus* in summer. *Proceedings of the International Plant Propagators' Society*, 46: 221-226.
- DOUGLAS M. (2001). Vegetative propagation of selected reproductive stoks of ash and sycamore. In: Thompson D. G., Douglas M. J., Hennerty N., Nakhshab N., Long R. (Eds). *Vegetative propagation techniques for oak, ash, sycamore and spruce*. COFORD, Dublin: 16-28.
- DRIVER J. A., KUNIYUKI A. H. (1984). *In vitro* propagation of Paradox walnut rootstocks. *HortScience* 19: 507-509.
- DRIVER J. A., SUTTLE G. R. L. (1987). Nursery hardening of propagules. In: Bonga J. M., Durzan D. J. (Eds). *Cell and Tissue Culture in Forestry*. vol. 2, Martinus Nijhoff, Dordrecht: 320-335.

- DU N., PIJUT P. M. (2008). Regeneration of plants from *Fraxinus pennsylvanica* hypocotyls and cotyledons. *Scientia Horticulturae*, 118: 74-79.
- GOOD J. E. G., BELLIS J. A., MUNRO R. C. (1978). Clonal variation in rooting of softwood cuttings of woody perennials occurring naturally on derelict land. *Proceedings of the International Plant Propagators' Society*, 28: 192-201.
- HACKETT W., MURRAY J. (1993). Maturation and rejuvenation in woody species. *In: Ahuja M. R. (Ed.). Micropropagation of woody plants*. Kluwer Academic Publisher, The Netherlands: 93-105.
- HAGEN-THORN A., CALLESEN I., ARMOLATIS K., NIHLGARD B. (2004). The impact of six European tree species on the chemistry of mineral topsoil in forest plantation on former agricultural land. *Forest Ecology and Management*, 195: 373-384.
- HAMMATT N. (1994). Shoot induction in the leaflet axis of compound leaves from micropropagated shoots of juvenile and mature common ash (*Fraxinus excelsior* L.). *Journal of Experimental Botany*, 45: 871-875.
- HAMMATT N. (1996). *Fraxinus excelsior* L. (Common ash). *In: Bajaj Y. P. S. (Ed.). Biotechnology in Agriculture and Forestry*, vol. 35 Springer-Verlag, Berlin, Heidelberg: 172-193.
- HAMMATT N., RIDOUT M. S. (1992). Micropropagation of common ash (*Fraxinus excelsior*). *Plant Cell, Tissue and Organ Culture*, 13: 67-74.
- HARE P. D., STADEN J., VAN STADEN J. (1994). Inhibitory effect of TDZ on the activity of cytokinin oxidase isolated from soybean callus. *Plant and Cell Physiology*, 35: 1121-1125.
- HARTMANN H. T., KESTER D. E., DAVIES F. T., GENEVE R. L. (2002). Hartmann and Kester's plant propagation. Principles and practices. Seventh edition. Prentice Hall. Upper Saddle River, New Jersey, 880 pp.
- HAZARIKA B. N. (2003). Acclimatization of tissue-cultured plants. *Current Science*, 85: 1704-1712.
- HAZARIKA B. N., NAGARAJU V., PARTHASARATHY V. A. (1996). *Ex vitro* acclimatization of microshoots of *Aegle marmelos*. *International Journal of Tropical Agriculture*, 14: 251-253.
- HUETTEMAN C. A., PEECE J. E. (1993). Thidiazuron: a potent cytokinin for woody plant tissue culture. *Plant Cell, Tissue and Organ Culture*, 33: 105-119.
- ILIEV I., KITIN P. (2011). Origin, morphology, and anatomy of fasciation in plants cultured *in vivo* and *in vitro*. *Plant Growth Regulation*, 63: 115-129.
- ILIEV I., SCALTSOYIANNES A., TSAKTSIRA M., GAJDOSOVA A. (2010). Micropropagation of *Betula pendula* Roth cultivars by adventitious shoot induction from leaf callus. *Acta Horticulturae*, 885: 161-173.
- JINKS R. L. (1995). The effects of propagation environment of the rooting of leafy cuttings of ash (*Fraxinus excelsior* L.), sycamore (*Acer pseudoplatanus* L.), and sweet chestnut (*Castanea sativa* Mill.). *New Forests*, 10: 183-195.
- KIM M. S., SCHUMANN C. M., KLOPFENSTEIN N. B. (1997). Effects of thidiazuron and benzyladenine on axillary shoot proliferation of three green ash (*Fraxinus pennsylvanica* Marsh.) clones. *Plant Cell, Tissue and Organ Culture*, 48: 45-52.
- KOHNERT H. (1991). Neue Möglichkeiten bei der Heterovegetativen Vermehrung von Waldbäumen durch die Chip - Veredlung. *Holzzucht*, 45: 30-32.
- KRÜSSMANN G. (1964). Die Baumschule, Paul Parley, Berlin und Hamburg, 391 pp.
- KRÜSSMANN G. (1984). Manual of cultivated broad-leave trees & shrubs. vol. III, Timber press. Portland, Oregon, 448 pp.
- LEBEDEV V., SCHESTIBRATOV K. (2013). Effect of natural and synthetic growth stimulators on *in vitro* rooting and acclimatization of common ash (*Fraxinus excelsior* L.) microplants. *Natural Science*, 5: 1095-1101.
- LEDBETTER D. I., PREECE J. E. (2004). Thidiazuron stimulates adventitious shoot production from *Hydrangea quercifolia* Bartr. leaf explants. *Scientia Horticulturae*, 101: 121-126.
- LLOYD G., MCCOWN B. (1980). Commercially feasible micropropagation of mountain laurel (*Kalima latifolia*) by use of shoot-tip culture. *Proceedings of the International Plant Propagators' Society*, 30: 421-427.
- MARINOV I. (1986). Ecologic-biological and selection-genetic studies on European Ash in Bulgaria. DSc Thesis, Sofia, BAS, Forest Research Institute, 285 pp. (in Bulgarian).
- MARTINI A. N., PAPAFOTIU M. (2013). Effects of plant growth regulators and environmental factors on *in vitro* propagation of  $\times$  *Malosorbus florentina*. *Propagation of Ornamental Plants*, 13: 112-122.
- MINOCHA S. C. (1987). Plant growth regulators and morphogenesis in cell and tissue culture of forest trees. *In: Bonga J. M., Durzan D. J. (Eds). Cell and Tissue Culture in Forestry*, vol. 1, Martinus Nijhoff Publishers, Dordrecht, The Netherlands: 50-66.
- MITRAS D., KITIN P., ILIEV I., DANCHEAVA D., SCALTSOYIANNES A., TSAKTSIRA M., NELLAS CH., ROHR R. (2009). *In vitro* propagation of *Fraxinus excelsior* L. by epicotyls. *Journal of Biological Research-Thessaloniki*, 11: 37-48.
- MURASHIGE T., SKOOG F. (1962). A revised medium for rapid growth and bioassay with tobacco tissue cultures. *Physiologia Plantarum*, 15: 473-497.
- MURTHY B. N. S., MURCH S. J., SAXENA P. K. (1998). Thidiazuron: a potent regulator of *in vitro* plant morphogenesis. *In vitro Cellular & Developmental Biology-Plant*, 34: 267-275.
- NAVARRETE N. E., VAN SAMBEEK J. W., PREECE J. E., GAFFNEY G. R. (1989). Improved micropropagation of white ash (*Fraxinus americana* L.). *In: Rink G., Budelsky C. A. (Eds). Proceedongs of 7th Central Hardwood Conference, GTRNC- 132: 146-149.*
- NILSSON O., MORITZ T., SUNDBERG B., SANDBERG G., OLSSON O. (1996). Expression of the *Agrobacterium rhizogenes* rolC gene in a deciduous forest tree alters growth and development and leads to stem fasciation. *Plant Physiology*, 112: 493-502.
- NOUGARÈDE A., SILVEIRA C. E., RONDET P. (1996). In nature dormant buds and *in vitro* dormant-like buds of *Fraxinus excelsior* L. *Protoplasma*, 190: 16-24.
- PALLA K. J., PIJUT P. M. (2011). Regeneration of plants from *Fraxinus americana* hypocotyls and cotyledons. *In vitro Cellular & Developmental Biology-Plant*, 47: 250-256.
- PIERIK R. L. M., SPRENKELS P. A. (1997). Micropropagation of *Fraxinus excelsior* L. (Common ash). *In: Bajaj Y. P. S. (Ed.). Biotechnology in Agriculture and Forestry*. Springer Verlag, Berlin, Heidelberg, 39: 331-344.
- PREECE J. E., BATES S. (1995). Somatic embryogenesis in white ash (*Fraxinus americana* L.). *In: Jain S., Gupta P., Newton R. (Eds).*

- Somatic embryogenesis in woody plants. Kluwer Academic Publishers, Netherlands, 2: 311-325.
- PREECE J. E., CHRIST P. H., ENSEBERGER L., ZHAO J. L. (1987). Micropropagation of ash (*Fraxinus*). Proceedings of the International Plant Propagators' Society, 37: 366-372.
- PREECE J. E., ZHAO J. L., KING F. H. (1989). Callus production and somatic embryogenesis from white ash. HortScience, 24: 377-380.
- SCHOENWEISS K., MEIER-DINKEL A. (2005). *In vitro* propagation of selected mature trees and juvenile embryo-derived cultures of Common ash (*Fraxinus excelsior* L.). Propagation of Ornamental Plants, 5: 137-145.
- SHARMA M., SOOD A., NAGAR P. K., PRAKASH O., AHUJA P. S. (1999). Direct rooting and hardening of tea microshoots in the field. Plant Cell, Tissue and Organ Culture, 58: 111-118.
- SILVEIRA C. E., COTTIGNIES A. (1994). Period of harvest, sprouting ability of cuttings, and *in vitro* plant regeneration in *Fraxinus excelsior*. Canadian Journal of Botany, 72: 261-267.
- SILVEIRA C. E., NOUGAREDE A. (1995). Microbouturage de *Fraxinus excelsior* L.: la phase de multiplication, plaque tournante pour l'engagement dans diverses voies morphogènes. Comptes Rendus de l'Académie des Sciences, Paris. Sciences de la vie/Life Sciences, Paris, 318: 199-207.
- SPETHMANN W. (1982). Stecklingvermehrung von Laubbaumarten. I. Versuche mit Ahorn, Esche, Eiche, Buche, Kirche, Linde, Birke. Allgemeine Forst- und Jagdzeitung, 153: 13-24.
- SPSS FOR WINDOWS™ (1999). Version 10.0. Copyright SPSS Inc., Chicago, IL.
- STEVENS M. E., PIJUT P. M. (2012). Hypocotyl derived *in vitro* regeneration of pumpkin ash (*Fraxinus profunda*). Plant Cell, Tissue and Organ Culture, 108: 129-135.
- STUTZ H. P., HOCEVAR M., BURKART A. (1983). Vegetative Vermehrung der Esche mit Grünstecklingen. Forstwissenschaftliches Centralblatt, 102: 336-343.
- TABBRETT A. M., HAMMATT N. (1992). Regeneration of shoots from embryo hypocotyls of common ash (*Fraxinus excelsior*). Plant Cell Reports, 11: 514-518.
- THOMPSON D., HARRINGTON F., DOUGLAS G., HENNERTY M., NAKHSHAB N., LONG R. (2001). Vegetative propagation techniques for oak, ash, sycamore and spruce. COFORD, Dublin, 54 pp.
- TONON G., CAPUANA M., DI MARCO A. (2001). Plant regeneration of *Fraxinus angustifolia* by *in vitro* shoot organogenesis. Scientia Horticulturae, 87: 291-301.
- TSVETKOV I., HAUSMAN J. F., JOUVE L. (2007). Thidiazuron induced regeneration in root segment of white poplar (*P. alba* L.). Bulgarian Journal of Agriculture Science, 13: 623-626.
- VAN NIEUWKERK J. P., ZIMMERMAN R. H., FORDHAM I. (1986). Thidiazuron stimulation of apple shoot proliferation *in vitro*. HortScience, 21: 516-518.
- VAN SAMBEEK J. W., PREECE J. E. (2007). *In vitro* propagation of *Fraxinus* species. In: Jain S. M., Häggman H. (Eds). Protocols for Micropropagation of Woody Trees and Fruits: 179-192.
- VAN SAMBEEK J. W., PREECE J. E., NAVARRETE-TINDALL N. E. (2001). Comparative *in vitro* culture of white and green ash from seed to plant production. Proceedings of the International Plant Propagators' Society, 51: 526-534.
- WEBER G., REHFUESS K. E., KREUTZER K. (1993). Über den einfluß naturnaher waldwirtschaft auf den chemischen bodenzustand. AFZ/Der Wald, 48: 68-71.
- YAO D., JIN Y., LIU W., WANG X., GUO H., XIE X. (2013). Plant regeneration from mature zygotic embryo explants of *Acacia crassiparpa* A. Cunn ex Benth. via adventitious shoots. Propagation of Ornamental Plants, 13: 86-92.
- ZIMMERMAN R. H., FORDHAM I. (1985). Simplified method for rooting apple cultivars *in vitro*. Journal of the American Society for Horticultural Science, 110: 34-38.