Propagation of Ornamental Plants
Vol. 15, № 1, 2015: 3-9

EFFECT OF BUDDING METHODS AND GRAFTING PERIODS ON PRODUCTION OF PERSIMMON SAPLING IN NURSERY CONDITIONS

Hamdi Zenginbal

Abant İzzet Baysal University, Vocational High School of Bolu, 2 Çakmaklar str., 14100 Bolu, Turkey,
Fax: + (90) 374 2701459, E-mail: hzenginbal@gmail.com

REFERENCES

Bellini E. (2002). Cultural practices for persimmon production. First Mediterranean Symposium on Persimmon. Zaragoza: CIHEAM, November 23-24, 2001, Faenza, Italy, 51: 39-52.

Chauhan N., Ananda S. A., Rana A. S. (2007). Studies on propagation of persimmon (*Diospyros kaki* L.). Haryana Journal Horticultural Science, 36: 236-238.

Czarnecki B. (1990). Comparative study of two methods of apple budding. Annals of Warsaw Agricultural University SGGW-AR, 14: 3-7.

Çelik H., Boz Y. (2003). Hand manual grafting units for grapevine propagation. Centenary Jubilee of the IVE-Pleven, Celebration and Scientific Workshop, June 13-14, 2002, SPS Print: 150-159.

Çelik H., Zenginbal H., Özcan M. (2006). Effect of budding performed by hand and with manual grafting unit on kiwifruit propagation in the field. Horticultural Science, 33: 57-60.

Hartmann H. T., Kester D. E., Davies Jr. F. T., Geneve R. L. (2011). Plant Propagation: Principles and Practices. Eighth Edition. Regents, Prentice Hall, New Jersey, 915 pp.

Mishra K. A., Kandaghat H. P. (1982). The vegetative propagation of persimmon. Scientia Horticulturae, 17: 125-127.

Özcan M. (2005). Persimmon Cultivation. HASAT Publishing, İstanbul, Turkey, 77 pp.

Simkhada E. P. (2007). Study on graft incompatibility in 'Fuyu' persimmon (*Diospyros kaki*) grafted onto different rootstocks in relation to physiological and morphological behaviors. Ph. D. Thesis, University of Tsukuba, 156 pp.

Skene D. S., Shepherd H. R., Howard B. H. (1983). Characteristic anatomy of union formation in T-and chip-budded fruit and ornamental trees. The Journal of Horticultural Science & Biotechnology, 58: 295-299.

SPSS, IBM Corp. (2011). IBM SPSS Statistics for Windows, Version 20.0. IBM Corp, Armonk, NY.

Srivastava K. K., Mustaq K., Wani W. M. (2005). Standardization of budding time in persimmon (*Diospyros kaki*) in Kashmir Valley. Environment and Ecology, 23 (Spl-1): 138-140.

Sugiura A. (1997). Keynote address. First International Persimmon Symposium, January 1, Chang Mai City, Thailand: 15-19.

Stoyan I. (1984). The application of chip budding to fruit tree propagation. Archiv für Gartenbau, 32: 55-67.

Şeker M., Kaynaş K., Aktaş Z. (2004). The phenological characteristics of local persimmon types selected in Çanakkale district. First Persimmon Cultivation and Marketing Symposium, November 25-26, Ünye, Ordu, Turkey: 23-29.

TSMS (2014). Turkish State Meteorological Service. Official Statistics (Statistical Database of Rize, Turkey).

Yilmaz M. (1992). Horticultural crops growing techniques. Cukurova University Publications, Adana, Turkey, 150 pp.

Yordanov A. I., Tabakov S. G. (2009). Comparison of different methods of propagation of persimmon trees. Forth International Symposium on Persimmon, June 16, Firenze, Faenza, Caserta, Italy: 187-192.

Yücel Z., Şeker M. (2004). Determination of plant growth characteristics and investigation of isozyme variability in 'Artvin Hurması' (*Diospyros lotus* L.) seedling population. First Persimmon Cultivation and Marketing Symposium, November 25-26, Ünye, Ordu, Turkey: 69-77.

Zheng R., Zhang Q., Luo Z., Zhang X., Wang C. (2013). Application of *Diospyros* in Chinese landscape and study on its traditional culture. Fifth International Symposium on Persimmon, October 20, 2012, Wuhan, China: 55-59.

Zenginbal H., Dolgun O. (2014). Determining of suitable graft method for apple propagation in cool climatic and high altitude conditions. International Journal of Agriculture, Forestry and Fisheries, 2: 53-59.