

USE OF CHLOROPHYLL FLUORESCENCE TO MEASURE EFFECTS OF COLD STORAGE ON ROOTING OF STEM CUTTINGS OF *TAXUS*

Sarah Bruce, Bradley Rowe and James Flore

Department of Horticulture, Michigan State University, East Lansing, MI 48824-1325, USA
Fax: +517-353-0890, E-mail: rowed@msu.edu

REFERENCES

- Arteca R. N., Arteca J. M., Wang T. W., Schlaghauser C. D. (1996). Physiological, biochemical, and molecular changes in *Pelargonium* cuttings subjected to short-term storage conditions. *Journal of the American Society for Horticultural Science*, 121: 1063-1068.
- Behrens V. (1986). Kuhlagerung von unbewürzelten Koniferenstecklingen II. Lagertemperatur und atmosphäre. *Gartenbauwissenschaft*, 51: 118-125.
- Behrens V. (1988). Storage of unrooted cuttings. In: Davis T. D., Haissig B. E., Sankhla N. (Eds.). *Adventitious root formation in cuttings*. Dioscorides Press, Portland, Ore.: 235-247.
- Bjorkman O., Demmig B. (1987). Photon yield of O₂ evolution and chlorophyll fluorescence characteristics at 77K among vascular plants of diverse origins. *Planta*, 170: 489-504.
- Bruce S. E., Rowe D. B., Flore J. A. (2001). Chlorophyll fluorescence and vegetative propagation of *Taxus*. *HortScience*, 36: 971-975.
- Camm E. L., Lavender D. P. (1993). Photosynthetic apparatus in cold-stored conifer seedlings is affected by nursery and storage photoperiod. *Forest Science*, 39(3): 546-560.
- Davis T. D., Potter J. R. (1985). Carbohydrates, water potential, and subsequent rooting of stored *Rhododendron* cuttings. *HortScience*, 20: 292-293.
- Dirr M. A., Heuser Jr. C. W. (1987). *The reference manual of woody plant propagation: From seed to tissue culture*. Varsity Press, Athens, Ga.: 239 pp.
- Druge U., Zerche S., Kadner R., Herregods M., Boxus P., Baets W., de Jager A. (2000). Relation between nitrogen and soluble carbohydrate concentrations and subsequent rooting of chrysanthemum cuttings as influenced by nitrogen nutrition of stock plants and cool-storage of cuttings. *Acta Horticulturae*, 517: 81-89.
- Eisenberg B. A., Staby G. L., Fretz T. A. (1978). Low pressure and refrigerated storage of rooted and unrooted ornamental cuttings. *Journal of the American Society for Horticultural Science*, 103: 732-737.
- Fisker S., Rose R., Haase D. L. (1995). Chlorophyll fluorescence as a measure of cold hardiness and freezing stress in 1+1 Douglas-Fir seedlings. *Forest Science*, 41 (3): 564-575.
- Genoud C., Coudret A., Amalric C., Sallanon H. (1999). Effects of micropropagation conditions of rose shootlets on chlorophyll fluorescence. *Photosynthetica*, 36 (1-2): 243-251.
- Gesto M. D. V., Vazquez A., Vieitez E. (1981). Changes in rooting inhibitory effect of chestnut extracts during cold storage of the cuttings *Castanea sativa*. *Physiologica Plantarum*, 51: 365-367.
- Guerrero J. R., Garrido G., Acosta M., Sanchez-Bravo J. (1999). Influence of 2,3,5-triiodobenzoic acid and 1-N-naphthylphthalamic acid on indoleacetic acid transport in carnation cuttings: relationship to rooting. *Journal of Plant Growth Regulation*, 18 (4): 183-190.
- Hansatech Instruments Ltd. (1997). *Operating instructions for Plant Efficiency Analyzer (PEA) advanced fluorescence analysis*. Hansatech Instruments Ltd., Norfolk, England, U.K.
- Hartmann H. T., Kester D. E., Davies, Jr. F. T., Geneve R. L. (2002). *Plant propagation: Principles and practices*. Prentice Hall, Upper Saddle River, N.J.: 880 pp.
- Hawkins C. D. B., Lister G. R. (1985). *In vitro* chlorophyll fluorescence as a possible indicator of the dormancy state in Douglas-fir seedlings. *Canadian Journal of Forest Research*, 15: 607-612.
- Krause G. H., Weis E. (1991). Chlorophyll fluorescence and photosynthesis: The basics. *Annual Review of Plant Physiology and Plant Molecular Biology*, 42: 313-349.
- Lichtenthaler H. K., Rinderle U. (1988). Chlorophyll fluorescence signatures as vitality indicator in forest decline

- research, *In*: Lichtenthaler, H.K. (Ed.). Applications of chlorophyll fluorescence. Kluwer Academic, Dordrecht, The Netherlands: 143-149.
- Lindgren K., Hallgren J. E. (1993). Cold acclimation of *Pinus contorta* and *Pinus sylvestris* assessed by chlorophyll fluorescence. *Tree Physiology*, 13: 97-106.
- Mesen F., Newton A. C., Leakey R. R. B. (1997). The effects of propagation environment and foliar area on the rooting physiology of *Cordia alliodora* (Ruiz & Pavon) Oken cuttings. *Trees*, 11: 404-411.
- O'Reilly C., McCarthy N., Keane M., Harper C. P., Gardiner J. J. (1999). The physiological status of Douglas fir seedlings and the field performance of freshly lifted and cold stored stock. *Annals of Forest Science*, 56: 297-306.
- Perks M. P., Monaghan S., O'Reilly C., Osborne B. A., Mitchell D. T. (2001). Chlorophyll fluorescence characteristics, performance and survival of freshly lifted and cold stored Douglas fir seedlings. *Annals of Forest Science*, 58: 225-235.
- Richey M. (1986). Sticking *Taxus* as unstripped cuttings, an update. *Combined Proceedings of the International Plant Propagator's Society*, 36: 597-599.
- Ritchie G. A. (1982). Carbohydrate reserves and growth potential in Douglas-fir seedlings before and after cold storage. *Canadian Journal of Forest Research*, 12: 905-912.
- Roberts A. N., Fuchigami L. H. (1973). Seasonal changes in auxin effect on rooting of Douglas-fir stem cuttings as related to bud activity. *Physiologica Plantarum*, 28: 215-221.
- Sabo J. E. (1976). Propagation of *Taxus* in northern Ohio. *Combined Proceedings of the International Plant Propagator's Society*, 26: 174-176.
- Sallanon H., Berger M., Genoud C., Coudret A. (1998). Water stress and photoinhibition in acclimatization of *Rosa hybrida* plantlets. *In Vitro Cell Development Biology - Plant*, 34: 169-172.
- Scheer C. (1976). *Taxus* propagation by cuttings. *Combined Proceedings of the International Plant Propagator's Society*, 26: 173-174.
- van den Driessche R. (1983). Rooting of Sitka spruce cuttings from hedges, and after chilling. *Plant and Soil*, 71: 495-499.
- van Huylenbroeck J., Debergh P. (1992). Acclimatization of micropropagated *Gerbera jamesonii* - Use of chlorophyll fluorescence. *Med.-van-de-Faculteit-Landbouwwetenschappen-Rijksuniversiteit-Gent (Belgium)*, 57(4a): 1575-1579.
- Verkade G. (1976). Propagation of *Taxus* by cuttings. *Combined Proceedings of the International Plant Propagator's Society*, 26: 177.
- Vierskov B. (1988). Relations between carbohydrates and adventitious root formation. *In*: Davis T. D., Haissig B. E., Sankhla N. (Eds.). *Adventitious root formation in cuttings*. Dioscorides Press, Portland, Ore.: 70-78.
- Westin J., Sundblad L. G., Hallgren J. E. (1995). Seasonal variation in photochemical activity and hardiness in clones of Norway spruce (*Picea abies*). *Tree Physiology*, 15: 685-689.
- Wise F. C., Blazich F. A., Hinesley L. E. (1985). Propagation of *Abies fraseri* by semidormant hardwood stem cuttings. *HortScience* 20: 1065-1067.