

**IN VITRO REGENERATION AND PLANTLET FORMATION FROM ADVENTITIOUS
ROOTS OF *REHMANNIA GLUTINOSA* LIBOSCHITS**

Jea Hun Jeong, Kee Won Yu, Debasis Chakrabarty, Sun Ja Kim and Kee Yoeup Paek

Research Center for the Development of Advanced Horticultural Technology, Chungbuk National University,
Cheongju, 361-763, Republic of Korea. Tel.: +82-43-2613245. Fax: +82-43-2757467,
E-mail: paekky@cbucc.chungbuk.ac.kr

REFERENCES

- Akashi R., Hoffmann-Tsy S. S., Hoffmann F. (1998). Selection of a super-growing legume root culture that permits controlled switching between root cloning and direct embryogenesis. *Theoretical Applied Genetics*, 96: 758-764.
- Chae Y. A., Park S. U. (1993). Callus induction and somatic embryogenesis in suspension culture of *Rhemannia glutinosa*. *Korean Journal of Medicinal Crop Science*, 1: 184-190 (in Korean).
- Choi Y. E., Yang D. C., Park J. C., Soh W. Y. (1998). Regenerative ability of somatic single and multiple embryos from cotyledons of Korean ginseng on hormone-free medium. *Plant Cell Reports*, 17: 544-551.
- Cui Y. Y., Hahn E. J., Kozai T., Paek K. Y. (2000). Number of air exchanges, sucrose concentration, photosynthetic photon flux, and differences in photoperiod and dark period temperatures affect growth of *Rhemannia glutinosa* plantlets *in vitro*. *Plant Cell Tissue and Organ Culture*, 62: 219-226.
- Haque M. S., Wada T., Hattori K. (1997). High frequency shoot regeneration and plantlet formation from root tip of garlic. *Plant Cell Tissue and Organ Culture*, 50: 83-89.
- Howell S. H. (1997). Shoot development. *In: Howell S.H. (Ed.) Molecular genetics of plant development*. London, Cambridge University publishers: 103-135.
- Jiang L. C., Mao W. Y. (1979). Callus formation and plantlet regeneration of *Rhemannia glutinosa* Chin. *Medicinal Herb Letters*. 2: 41.
- Li Shi-Zhen (1578). *Compendium of material medica*, New den. Beijing: Peoples Health Publishers: 1019-1027 (in Chinese).
- Mao W. Y., Liu Q. Q., Yu C. S., Zhu B. M. (1983). Studies on the meristem culture of *Rhemannia glutinosa*. *Chinese Bulletin of Botany* 1: 444-456 (in Chinese).
- Murashige T., Skoog F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiologia Plantarum* 15: 473-497.
- Myers J. M., Simon P. W. (1998). Continuous callus production and regeneration of garlic (*Allium sativum* L.) using root segments from shoot tip-derived plantlets. *Plant Cell Reports*, 17: 726-730.
- Paek K. Y., Yu K. J., Park S. J., Sung N. S., Park C. H. (1995). Micropropagation of *Rhemannia glutinosa* as medicinal plant by shoot tip and root segment culture. *Acta Horticulturae*, 390: 113-119.
- Peres L. E. P., Kerbauy G. B. (1999). High cytokinin accumulation following root tip excision changes the endogenous auxin-to-cytokinin ratio during root-to-shoot conversion in *Catasetum fimbriatum* Lindl (Orchidaceae). *Plant Cell Reports*, 18: 1002-1006.
- Seon J. H., Cui Y. Y., Kozai T., Paek K. Y. (2000). Influence of *in vitro* growth conditions on photosynthetic competence and survival rate of *Rhemannia glutinosa* plantlets during acclimatization period. *Plant Cell Tissue and Organ Culture* 61: 135-142.
- Shoyama Y., Nagano M., Shoyama Y. (1983). Clonal multiplication of *Rhemannia glutinosa*. *Planta Medica*, 48: 124-125.
- Tien P. (1962). A virus from degenerated *Rhemannia glutinosa* in Honan. *Acta Microbial Sinica*, 9: 418-419.
- Vinocur B., Carmi T., Altman A., Ziv M. (2000). Enhanced bud regeneration in aspen (*Populus tremula* L.) roots cultured in liquid media. *Plant Cell Reports*, 19: 1146-1154.
- Wawrosch C., Maskay N., Kopp B. (1999). Micropropagation of the threatened Nepalese medicinal plant *Swertia chirata* Buch.-Ham. ex Wall. *Plant Cell Reports*, 18: 997-1001.
- Zhu B. M., Chen Z. Y. (1981). The detection of dihuang yellow-spot virus by enzyme-linked immunosorbent assay. *Nature Journal (Shanghai)* 4: 319-320 (in Chinese).