

**FORCING SOFTWOOD SHOOTS, ROOTING, AND MICROPROPAGATING
HYDRANGEA QUERCIFOLIA BARTR.**

Donna I. Ledbetter and John E. Preece*

Department of Plant, Soil and General Agriculture, Southern Illinois University,
Carbondale, IL 62901-4415, USA
Tel: 618-453-1796; Fax: 618-453-7457, *E-mail: jpreece@siu.edu

REFERENCES

- Dirr M. A. (1998). Manual of Woody Landscape Plants, 5th ed., Stipes, Champaign, Illinois, 446 pp.
- Bailey D. A., Weiler T. C. (1984). Rapid propagation and establishment of florists' *Hydrangea*. HortScience, 19: 850-852.
- Dirr M. A., Heuser Jr. C. W. (1987). The Reference Manual of Woody Plant Propagation: From Seed to Tissue Culture. Varsity Press, Athens, Georgia, 239 pp.
- Fishel D. W., Zaczek J. J., Preece J. E. (2003). Positional influence on rooting of shoots forced from the main bole in swamp white oak and northern red oak. Canadian Journal of Forest Research 33: 705-711.
- Hartmann H. T., Kester D. E., Davies Jr. F. T., Geneve R. L. (2002). Hartmann and Kester's plant propagation principles and practices. 7th ed. Prentice-Hall, Upper Saddle River, N.J., 880 pp.
- Henry P. H., Preece J. E. (1997a). Production and rooting of shoots generated from dormant stem sections of *Acer* species. HortScience, 32: 1274-1275.
- Henry P. H., Preece J. E. (1997b). Production of shoots from dormant *Acer* as influenced by length and caliper of stem sections. Journal of Environmental Horticulture, 15: 153-156.
- Heutteman C. A., Preece J. E. (1993). Thidiazuron: a potent cytokinin for woody plant tissue culture. Plant Cell, Tissue and Organ Culture, 33: 105-119.
- Jacobs R. M., Berry J., Duck P. (1990). New Propagation Techniques. Combined Proceedings of International Plant Propagators Society, 40: 394-396.
- Ledbetter D. I., Preece J. E. (2003). Thidiazuron stimulates adventitious shoot production from *Hydrangea quercifolia* Bartr. leaf explants. Scientia Horticulturae (in press).
- Murashige T., Skoog F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiologia Plantarum, 15: 473-497.
- Preece J. E., Van Sambeek J. W., Henry P. H., Zaczek J. (2002). Forcing the tissue. American Nurseryman 196 (7): 26-30, 32, 34.
- Sebastian T. K., Heuser C. W. (1987). *In vitro* propagation of *Hydrangea quercifolia* Bartr. Scientia Horticulturae, 31: 303-309.
- Steel G. D., Torrie J. H. (1980). Principles and Procedures of Statistics, 2nd ed., McGraw-Hill, Inc., New York, NY, 633 pp.
- Stolz L. P. (1984). *In vitro* propagation and growth of hydrangea. HortScience, 19: 717-719.
- Van Sambeek J. W., Preece J. E. (1999). Forcing environment affects epicormic sprout production from branch segments for vegetative propagation of adult hardwoods. Combined Proceedings of International Plant Propagators Society, 49: 156-158.
- Van Sambeek J. W., Preece J.E., Coggeshall M.V. (2002). Forcing epicormic sprouts on branch segments of adult hardwoods for softwood cuttings. Combined Proceedings of International Plant Propagators Society, 52 (in press).
- Young J., Young C. (1992). Seeds of Woody Plants in North America, Revised and Enlarged Edition, Dioscorides Press, Portland, Oregon, 407 pp.