

**IN VITRO MORPHOGENESIS AND MICROPROPAGATION OF
ANEMONE CORONARIA L. HYBRIDS**

Barbara Ruffoni^{1*}, Laura Semeria¹, Marina Laura¹, Marco Savona¹, Angela Bisio².

¹C.R.A. Experimental Institute for Floriculture, Corso Inglesi 508, 18038 Sanremo, Italy,
Fax +39 0184 695072; * E-mail: propagazione@istflori.it

²University of Genoa, Chemical Pharmaceutical and Food Technologies Department, via Brigata Salerno,
18100 Genoa Italy, E-mail: a.bisio@dictfa.unige.it

REFERENCES

- George E. F. (1996). Plant propagation by tissue culture. Exegetics Limited Ed. Somerset (E): 879-895.
- Gutmann M. (1995). Improved staining procedures for photographic documentation of phenolic deposits in sections of plant tissue. *Journal of Microscopy*, 179: 277-281.
- Hulscher M., Krijgsheld H. T., van der Linde P. C. G. (1992). Propagation of shoots and bulb growth of tulip *in vitro*. *Acta Horticulturae* 325: 441-446.
- Meynet J. (1993). Anemone. *In*: De Hertog A., Le Nard M. (Eds.). The physiology of flower bulbs. Elsevier, Amsterdam: 211-218.
- Murashige T., Skoog F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiologia Plantarum*, 15: 473-497.
- Pearse A. G. E. (1985). *Histochemistry Theoretical and Applied*. Livingstone Ch. (Ed.). Edinburgh, London/Melburne/New York, 1035 pp.