

IN VITRO PROPAGATION OF *TASMANNIA STIPITATA* AC SMITH

Sridevy Sriskandarajah^{1*} and Peter Goodwin²

^{1*2}Faculty of Agriculture, Food and Natural Resources, University of Sydney, NSW 2006, Australia,

*Fax: +45 3528 3400, *E-mail: srs@kvl.dk

^{1*} Present address: Plant and Soil Science Laboratory, Department of Agricultural Sciences, The Royal Veterinary and Agricultural University-city, 40 Thorvaldsensvej, 1871 Frederiksberg C, Copenhagen, Denmark,
Tel.: +45 3528 3409

REFERENCES

- Blomstedt C., Cameron J., Whiteman P., Chandler S. F. (1991). Micropropagation of juvenile *Eucalyptus regnans* (mountain ash). Australian Journal of Botany, 39: 179-186.
- Dix L., Van Staden J. (1982). Auxin and gibberellin-like substances in coconut milk and malt extract. Plant Cell Tissue and Organ Culture, 1: 239-246.
- Goodwin P. B. (1966). An improved medium for the rapid growth of isolated potato buds. Journal of Experimental Botany, 17: 590-595.
- Graham C., Hart D. (1997). Prospects for the Australian native bushfood industry: a report. Rural Industries Research and Development Corporation, Published by Australian National Botanical Gardens, Barton, A.C.T., 74 pp.
- Hart D. (1997). Australian native bushfood industry: update. Australian New Crops Newsletter, 7: 8.
- Huetteman C. A., Preece J. E. (1993). Thidiazuron: a potent cytokinin for woody plant tissue culture. Plant Cell Tissue and Organ Culture, 33: 105-119.
- Jordan M., Cortes I. (1981). Shoot organogenesis in tissue culture of *Drimys winteri*. Plant Science Letters, 23: 177-180.
- Karhu S. T. (1997). Rooting of blue honeysuckle microshoots. Plant Cell Tissue and Organ Culture, 48: 153-159.
- Kato M. (1986). Micropropagation through cotyledon culture in *Camellia japonica* and *Camellia sinensis*. Japanese Journal of Breeding, 36: 31-38.
- Klerk G. J. De, Keppel M., Brugge J., Meekes H. (1995). Timing of the phases in adventitious root formation in apple microcuttings. Journal of Experimental Botany, 46: 965-972.
- Malabadi R. B., Mulgund G. S., Nataraja K. (2004). Efficient regeneration of Vanda Coerulea, an Endangered Orchid using thidiazuron. Plant Cell Tissue and Organ Culture, 76: 289-293.
- Millan-Mendoza B., Graham J. (1999). Organogenesis and micropropagation in red raspberry using forchlorfenuron (CPPU). Journal of Horticultural Science and Biotechnology, 74: 219-223.
- Mohamed M. F., Read P. E., Coyne D. P. (1992). Dark preconditioning, CPPU and thidiazuron promote shoot organogenesis on seedling node explants of common and faba beans. Journal of American Society for Horticultural Science, 117: 668-672.
- Murashige T., Skoog F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiologia Plantarum, 15: 473-497.
- Nito N., Iwamasa M. (1990). *In vitro* plantlet formation from juice vesicle callus of satsuma *Citrus unshiu* Marc. Plant Cell Tissue and Organ Culture, 20: 137-140.
- Saito A., Suzuki M. (1999). Efficient shoot-regeneration from calli of apple rootstock (*Malus x prunifolia* var. *ringo* Asami Mo84-A) and cultivar (*Malus x domestica* cv. Fuji). Journal of Plant Physiology, 155: 620-624.
- Sharma T. R., Singh B. M. (1995). *In vitro* microrhizome production in *Zingiber officinale* Rosc. Plant Cell Report, 15: 274-277.
- Stynes B. (1998). Opportunities for contributing to the development of Aboriginal food plants. Tropical Grasslands, 31: 311-314.
- Tetsumura T., Yukinaga H. (1996). High-frequency shoot regeneration from roots of Japanese persimmon. Hort-Science, 31: 463-464.
- Wrigley J. W., Fagg M. (1996). Australian native plants: Propagation, cultivation and use in landscaping. Reed Books, 4th Edition, Published by Australian National Botanical Gardens, Sydney, 696 pp.
- Yang G., Read P. E. (1997). *In vitro* shoot proliferation of 5-leaf aralia explants from field grown plants and forced dormant stems. Plant Cell Tissue and Organ Culture, 47: 289-291.