

**PHENOTYPIC EXPRESSION OF LEAF VARIATION IN TWO *BETULA PENDULA* ROTH
GENOTYPES FOLLOWING MICROPROPAGATION, CRYOPRESERVATION AND GRAFTING**

Leena Ryyänänen^{1*} and Tuija Aronen¹

¹Finnish Forest Research Institute, Punkaharju Research Unit, Finlandiantie 18, FI-58450 Punkaharju, Finland,
*Fax: +358 10 211 4201, *E-mail: leena.ryyananen@metla.fi

REFERENCES

- Agrios G. (1997). Plant Pathology, 4th Edition. Academic Press, 635 pp.
- Alasaarela E., Niskanen A-M., Haapala T. (1989) Trees and shrubs for landscaping in Northern Finland. Technical Research Center of Finland, Research Notes 979, 59 pp. (in Finnish).
- Anon (2006a). University of Connecticut Plant Database. <http://www.hort.uconn.edu/plants/index.html>
- Anon (2006b). The Website of Finland's Environmental Administration. Regional Environment Centres. <http://www.ymparisto.fi/default.asp?contentid=191022>
- Aspelmeier S., Leuschner C. (2006). Genotypic variation in drought response of silver birch (*Betula pendula* Roth): leaf and root morphology and carbon partitioning. *Trees*, 20: 42-52.
- Jokinen K., Törmälä T. (1991). Micropropagation of silver birch (*Betula pendula* Roth) and clonal fidelity of mass propagated birch plants. *In: Ahuja M. R. (Ed.). Woody Plant Biotechnology*. New York, Plenum Press: 31-36.
- Kauppi A., Ulvinen T. (1989). Two new forms of *Betula pubescens* from Finland. *Memoranda Societatis pro Fauna et Flora Fennica*, 65: 133-136.
- Lehtonen J. (2005). Silver birch with multi-coloured leaves. *Sorbifolia*, 36:137-138 (in Finnish).
- Leonhardt W., Wawrosch C., Auer A., Kopp B. (1998). Monitoring of virus diseases in Austrian grapevine varieties and virus elimination using *in vitro* thermotherapy. *Plant Cell, Tissue and Organ Culture*, 52: 71-74.
- Lloyd G., McCown B. (1980). Commercially-feasible micropropagation of Mountain Laurel, *Kalmia latifolia*, by use of shoot-tip culture. *International Plant Propagators' Society. Combined Proceedings*, 30: 421-427.
- McAllister H., Ashburner K. (2004). 487. *Betula lenta* f. *uber*. *Royal Botanic Garden, Kew 2004 Blackwell Publishing Ltd, Oxford, UK*: 54-60.
- Miller R. (1998). High temperature oxidation: Dry ashing. *In: Kalra Y. (Ed.). Handbook of Reference Methods for Plant Analysis*. CRC Press: 53-56.
- Oskarsson O., Nikkanen T. (2001). Special Forms of Forest Trees. Finnish Forest Research Institute. Research Notes 670, 54 pp. (in Finnish).
- Raitio H. (1983). Physiology of Forest Trees I. Basis of Nutrition. University of Helsinki, Department of Silviculture. Research Notes 39, 200 pp. (in Finnish).
- Rick C., Thompson A., Brauer O. (1959). Genetics and development of an unstable chlorophyll deficiency in *Lycopersicon esculentum*. *American Journal of Botany*, 46: 1-11.
- Ryyänänen L. (1999). Effect of early spring birch bud type on post-thaw regrowth after prolonged cryostorage. *Canadian Journal of Forest Research*, 29: 47-52.
- Simola L. (1985). Propagation of plantlets from leaf callus of *Betula pendula* f. *purpurea*. *Scientia Horticulturae* 26: 77-85.
- Smith M., Palta J., McCown B. (1986). Comparative anatomy and physiology of microcultured, seedling, and greenhouse-grown Asian white birch. *Journal of the American Society for Horticultural Science*, 111: 437-442.
- Viherä-Aarnio A., Ryyänänen L. (1995). Growth, crown structure and seed production of birch seedlings, grafts and micropropagated plants. *Silva Fennica*, 29: 3-12.