

## MICROPROPAGATION OF ORNAMENTALS: THE WAVE OF THE FUTURE?

Paul Read<sup>1\*</sup> and John Preece<sup>2</sup>

<sup>1</sup>University of Nebraska, Department of Agronomy and Horticulture,  
377 Plant Science Hall, Lincoln, NE 68583-0724, USA,

\*Tel.: + 1 402 472 5136, \*Fax: + 1 402 472 8650, \*E-mail: pread@unl.edu

<sup>2</sup>Southern Illinois University, Department of Plant, Soil and Agricultural Systems,  
Carbondale, IL 62901-4415, USA

### REFERENCES

- Ahn B. J., Kim S-K., Park K-W., Kaseo K. (2007). Biolistic transformation of an oriental lily 'Marco Polo' with CMV anti-viral gene. *Acta Horticulturae* (in press).
- Aitken-Christie J., Davies H. E., Holland L., Kubota C., Fujiwara K. (1992). Effect of nutrient media composition on sugar-free growth and chlorophyll fluorescence of *Pinus radiata* shoots *in vitro*. *Acta Horticulturae*, 319: 125-130.
- Akiyoshi D. E., Klee H., Amasino R. M., Nester E. W., Gordon M. P. (1984). T-DNA of *Agrobacterium tumefaciens* encodes an enzyme of cytokinin biosynthesis. *Proceedings of the National Academy of Sciences of the USA*, 81: 5994-5998.
- Appelgren M., Heide O. M. (1972). Regeneration in *Streptocarpus* leaf discs and its regulation by temperature and growth substances. *Physiologia Plantarum*, 27: 417-423.
- Brainerd K. E., Fuchigami L. H. (1981). Acclimatization of aseptically cultured apple plants to low relative humidity. *Journal of the American Society for Horticultural Science*, 106: 515-518.
- Chandler S. F. (2007). Practical lessons in the commercialization of genetically modified plants - long vase life carnation. *Acta Horticulturae* (in press).
- Cheng T-Y., Smith H. (1973). The influence of genomes on autonomous growth of pith cultures of *Nicotiana glauca-langsdorfii* hybrids. *Planta*, 113: 29-34.
- Cheng Z-M. (2007). Enhance adventitious root formation of hardwood cuttings through genetic engineering. *Acta Horticulturae* (in press).
- Debergh P. C., Harbouli Y., Leweur R. (1981). Mass propagation of globe artichoke (*Cynara scolymus*): Evaluation of different hypotheses to overcome vitrification with special reference to water potential. *Physiologia Plantarum*, 53: 181-187.
- deFossard R. A. (1981). *Tissue Culture for Plant Propagators*. The University of New England, Armidale, 409 pp.
- deLanghe E., deBruijne E. (1976). Continuous propagation of tomato plants by means of callus cultures. *Scientia Horticulturae*, 4: 221-222.
- Dunwell J. Perry E. (1973). The influence of *in vivo* growth conditions of *N. tabacum* plants on the *in vitro* embryogenic potential of their anthers. 64<sup>th</sup> Annual Report of John Innes Institute: 69-79.
- Duysuis J. M., Chagvardieff P. (1990). Plant donor tissue and isolation procedure effect on early formation of embryoids from protoplasts of *Helianthus annuus* L. *Plant Cell, Tissue and Organ Culture* 22: 183-189.
- Economou A. S. (1982). Chemical and physical factors influencing *in vitro* propagation of hardy deciduous azaleas (*Rhododendron* spp.) Ph. D. dissertation, University of Minnesota, 156 pp.
- Economou A. S., Read P. E. (1980). Effect of benzyladenine pretreatments on shoot proliferation from petunia leaf segments cultured *in vitro*. *Proceedings of Plant Growth Regulation Working Group*, 7: 96-103.
- Economou A. S., Read P. E. (1982). Effect of NAA on shoot production *in vitro* from BA-pretreated petunia leaf explants. *Journal of the American Society for Horticultural Science*, 107: 504-506.
- Economou A. S., Read P. E. (1986). Effect of red and far-red light on azalea microcutting production *in vitro* and rooting *in vivo*. *Proceedings of 6<sup>th</sup> International Congress Plant Tissue and Cell Culture*: 431 (abstract).
- Economou A. S., Read P. E. (1987). Light treatments to improve efficiency of *in vitro* propagation systems. *HortScience*, 22: 751-754.

- Eizenga G. C., Dahleen L. S. (1990). Callus production, regeneration and evaluation of plants from cultured inflorescences of tall fescue (*Festuca arundinacea* Schred.). *Plant Cell, Tissue and Organ Culture*, 22: 7-15.
- Fonnesbech M. (1974). Temperature effects on shoot and root development from *Begonia x cheimantha* petiole segments grown *in vitro*. *Physiologia Plantarum*, 32: 282-286.
- Fridborg G., Eriksson T. (1975). Partial reversal by cytokinin and (2-chloroethyl) trimethylammonium chloride of near-ultraviolet inhibited growth and morphogenesis in callus cultures. *Physiologia Plantarum*, 35: 162-166.
- Fukai S., DeJohn J., Rademaker W. (1995). *Agrobacterium*-mediated genetic transformation of chrysanthemum. *Acta Horticulturae*, 392:147-152.
- Garton S., Read P. E., Farnham R. S. (1983). Effect of stock plant nutrition on macro and micro-propagability of *Salix*. *Acta Horticulturae*, 131: 141-151.
- Gavinlertvatana P., Read P. E., Heins R. D., Wilkins H. F. (1979). Influence of photoperiod and daminozide stock plant treatments on ethylene and CO<sub>2</sub> levels and callus formation from *Dahlia* leaf segment culture. *Journal of the American Society for Horticultural Science*, 104: 849-852.
- George E. F., Sherrington P. D. (1984). *Plant Propagation by Tissue Culture*. Exegetics Ltd., Eversley, Basingstoke, 478 pp.
- Gerth A., Schmidt D., Wilken D. (2007). The production of plant secondary metabolites using bioreactors. *Acta Horticulturae* (in press).
- Grout J. J., Read P. E. (1986). Influence of stock plant propagation method on tissue culture and leaf-bud propagation of 'Northblue' blueberry. *Journal of the American Society for Horticultural Science*, 111: 368-371.
- Haberlandt G. (1902). Kulturversuche mit isolierten Pflanzenzellen. *Sitzungsberichten der Akademie der Wissenschaften Wien, Mathematisch-Naturwissenschaftliche Klasse*, 111: 69-92.
- Hackett W. P. (1983). Phase change and intra-clonal variability. *HortScience* 18: 840-844.
- Hahn E.-J., Yu K.-W., Paek K.-Y. (2007). Application of large-scale bioreactors for plant cell, organ and tissue culture. *Acta Horticulturae* (in press).
- Hamoo B. T., Read P. E. (2000). Silver thiosulfate alone and in combination with gibberellic acid (GA<sub>3</sub>) in the forcing solution influenced bud break and shoot elongation of dormant woody species. *Proceedings of Plant Growth Regulation Society of America*, 26: 191-192.
- Hasegawa P. M., Murashige T., Takatori F. H. (1973). Propagation of *Asparagus* through shoot apex culture II. Light and temperature requirements, transplantability of plants and cytological characteristics. *Journal of the American Society for Horticultural Science*, 98: 143-148.
- Hegarty P. K., Smart N. J., Scrogg A. H., Fowler M. W. (1986). The aeration of *Catharanthus roseus* (L.) G. Don suspension cultures in airlift bioreactors: The inhibitory effect at high aeration rates on culture growth. *Journal of Experimental Botany*, 37: 1911-1920.
- Heide O. M. (1969). Interaction of growth retardants and temperature in growth, flowering, regeneration and auxin activity of *Begonia x cheimantha* Everett. *Physiologia Plantarum*, 22: 1001-1012.
- Heide O. M. (1965). Interaction of temperature, auxins and kinins in the regeneration ability of begonia leaf cuttings. *Physiologia Plantarum*, 18: 891-920.
- Henry P. H., Preece J. E. (1997). Production and rooting of shoots generated from dormant stem sections of *Acer* species. *HortScience*, 32: 1274-1275.
- Hughes K. W. (1981). *In vitro* ecology: Exogenous factors affecting growth and morphogenesis in plant culture systems. *Environmental and Experimental Botany*, 21: 281-288.
- Hutchinson J. F. (1984). Micropropagation of "Northern Spy" apple rootstock. *Combined Proceedings of International Plant Propagators' Society*, 34: 38-48.
- Jorge A., Hansen J., Gebremariam G., Proud J. (2007). Natural plant extracts for the *in vitro* culture of *Macuna pruriens*. *Acta Horticulturae* (in press).
- Karppinen K., György S., Kauppinen M., Tolonen A., Jalonen J., Neubauer P., Hohtola A., Häggman H. (2006). *In vitro* propagation of *Hypericum perforatum* L. and accumulation of hypericins, pseudohypericins and phloroglucinols. *Propagation of Ornamental Plants*, 6: 170-179.
- Kozai T. (1988). Autotrophic (sugar-free) tissue culture for promoting the growth of plantlets *in vitro* and for reducing biological contamination. *International Symposium Application of Biotechnology for Small Industries, Bangkok, Thailand*: 1-21.
- Kozai T. (1991). Micropropagation under photoautotrophic conditions. *In: Debergh P., Zimmerman R. (Eds). Micropropagation Technology and Application*, Kluwer Academic Publishers, Dordrecht: 447-469.
- Kraus E. J., Kraybill H. R. (1918). *Vegetation and reproduction with special reference to the tomato*. Oregon Agricultural Experimental Station Bulletin: 149.
- Lui Z. R., Sanford J. C. (1988). Plant regeneration by organogenesis from strawberry leaf and runner tissue. *HortScience* 23: 1057-1059.

- Luo K., Duan H., Zhao D., Zheng X., Deng W., Chen Y., Jiang X., McAvoy R., Wu Y., Pei Y., Li Y. (2007). A highly efficient system to remove foreign genes from pollen of transgenic plants. *Acta Horticulturae* (in press).
- Mes M. G. (1951). *Plant Hormones*. Progress Pot Plant Physiology Research Institute, 1950-51. University of Pretoria, South Africa.
- Miller L. R., Murashige T. (1976). Tissue culture propagation of tropical foliage plants. *In Vitro*, 12: 797-813.
- Morel G. M. (1948). Recherches sur la culture associée de parasites obligatoires et de tissus végétaux. *Annales. Epiphytes*, 14:123-124.
- Morel G. M. (1960). Producing virus-free *Cymbidium*. *American Orchid Society Bulletin*, 25: 495-497.
- Murashige T. (1974). Plant propagation through tissue cultures. *Annual Review of Plant Physiology*, 25: 135-166.
- Murashige T., Skoog F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiologia Plantarum*, 15: 373-397.
- Nas M. N., Read P. E. (2003). *Ex vitro* survival of hybrid hazelnut shoots produced *in vitro*. *In: First International Symposium on Acclimatization and Establishment of Micropropagated Plants. Acta Horticulturae*, 616: 215-219.
- Nas M. N., Read P. E. (2004). A hypothesis for the development of a defined tissue culture medium of higher plants and micropropagation of hazelnuts. *Scientia Horticulturae*, 101: 189-200.
- Nas M. N., Mutlu N., Read P. E. (2004). Randomly amplified polymorphic DNA (RAPD) analysis of long-term cultured hybrid hazelnut. *HortScience*, 39: 1079-1082.
- Papchatzi M., Hammer P. A., Hasegawa P. M. (1981). *In vitro* propagation of *Hosta decorata* Thomas Hogg using cultured shoot tips. *Journal of the American Society for Horticultural Science*, 106: 232-236.
- Paterson K., Rost T. (1979). Effects of light and hormones on regeneration of *Crassula argentea* from leaves. *American Journal of Botany*, 66: 463-470.
- Pennazio S., Radolfi P. (1973). Factors affecting the culture *in vitro* of potato meristem tips, *Potato Research*, 16: 20-29.
- Pierik R. L. M., van Leeuwen P., Rigter G. C. C. M. (1979). Regeneration of leaf explants of *Anthurium andrea-num* Lind. *in vitro*. *Netherlands Journal of Agricultural Science*, 27: 221-236.
- Pierik R. L. M., Ruijing M. S. (1973). Regeneration of bulblets on bulb scale segments of hyacinth *in vitro*. *Netherlands Journal of Agricultural Science*, 21: 129-138.
- Preece J. E. (1991). Practical regulation of woody plant growth and development using biotechnology. *Acta Horticulturae*, 300: 23-33.
- Preece J. E., Huetteman C. A., Ashby W. C., Roth P. L. (1991). Micro-and macropropagation of silver maple. I. Results with adult and juvenile propagules. *Journal of the American Society for Horticultural Science*, 116: 142-148.
- Preece J. E., Ledbetter D. I., Zaczek J. J. (2001). Rooting softwood cuttings collected from forced large stems of oakleaf hydrangea and American chestnut. *Combined Proceedings of International Plant Propagators' Society*, 51: 267-270.
- Preece J. E., Read P. E. (2003). Novel methods in micropropagation. *Acta Horticulturae*, 616: 71-76.
- Read P. E. (1990). Environmental effects in micropropagation. *In: Ammirato P., Evans D. A., Sharp W. R., Bajaj Y. P. S. (Eds.). Handbook of Plant Cell Culture*, vol. 5, McGraw Hill, New York: 95-125.
- Read P. E., Chishimba W. (1997). Plant tissue culture laboratory establishment under challenging conditions. *In: Cassells A. C. (Ed.). Pathogen and Microbial Contamination Management in Micropropagation*. Kluwer Academic Publishers, The Netherlands: 287-291.
- Read P. E., Economou A. (1982). Supplemental lighting in the propagation of deciduous azalea. *Proceedings of International Plant Propagators' Society*, 32: 639-645.
- Read P. E., Economou A. S., Fellman C. D. (1984). Manipulating stock plants for improved *in vitro* mass propagation: *In: Novak F. J., Havel L., Dolezel J. (Eds.). Proceedings of International Symposium on Plant Tissue and Cell Culture: Application to Crop Improvement*, Czech Academy of Sciences, Prague: 467-473.
- Read P. E., Fellman C. D. (1985). Accelerating acclimation of *in vitro* propagated woody ornamentals. *Acta Horticulturae*, 166: 15-20.
- Read P. E., Fellman C. D., Economou A. S., Yang Q-G. (1986). Programming stock plants for propagation success. *Proceedings of International Plant Propagators' Society*, 35: 84-91.
- Read P. E., Garton S., Carlson C., Conviser L., Preece J. (1979). Programming stock plants for tissue culture success. *Proceedings of Plant Growth Regulation Working Group 6: 1997-1204*.
- Read P. E., Gavinlertvatana P., Suriyajantratong P., Garton S., Brenner M. (1978). Stock plants affect tissue cul-

- ture success. *In*: Hughes K., Henke R., Constantin M. (Eds.). Propagation of Higher Plants Through Tissue Culture. University of Tennessee, Knoxville: 249.
- Read P. E., Yang G. (1989). Response *in vitro* of explants chemically treated via forcing solutions. Proceedings of International Plant Propagators' Society, 38: 406-408.
- Reuther G. (1988). Comparative anatomical and physiological studies with ornamental plants under *in vitro* and greenhouse conditions. *Acta Horticulturae*, 226: 91-98.
- Reuther G., Botsch K., Meier K. (1992). Influence of nutritional and environmental factors on productivity and photoautotrophy of transplants *in vitro*. *Acta Horticulturae*, 319: 47-52.
- Robinson K. E. P., Firoozabady E. (1993). Transformation of floriculture crops. *Scientia Horticulturae*, 55: 83-89.
- Rugini E. (1990). Genetic transformation for increasing the rooting ability in woody species. Abstracts of Contributed Paper, 1. Oral, XXIII International Horticultural Congress: 125 (abstract).
- Satoh S., Narumi T., Watanabe M., Aida R., Ohmiga A. (2007). Reduced leaf senescence in chrysanthemum transformed with mutated ethylene genes. *Acta Horticulturae* (in press).
- Short K. C., Warburton J., Roberts A. V. (1987). *In vitro* hardening of cultured cauliflower and chrysanthemum plantlets to humidity. *Acta Horticulturae*, 212: 329-334.
- Siebert M., Wetherbee R. J., Job D. D. (1975). The effects of light intensity and spectral quality on growth and shoot initiation in tobacco callus. *Plant Physiology*, 56: 130-139.
- Skoog F., Tsui C. (1948). Chemical control of growth and bud formation in tobacco stem and callus. *American Journal of Botany*, 35: 782-787.
- Skoog F., Miller C. O. (1957). Chemical regulation of growth and organ formation in plant tissues cultured *in vitro*. *In*: Symposium of the Society for Experimental Biology, 11: 118-131.
- Smith M. A. L., Palta J. P., McCown B. H. (1986). Comparative anatomy and physiology of microcultured, seedling and greenhouse-grown Asian white birch. *Journal of the American Society for Horticultural Science*, 111 (3): 437-442.
- Stimart D. P., Ascher P. D. (1978). Foliar emergence and growth of *in vitro* generated bulblets from bulb scale explants of *Lilium longiflorum*. *HortScience* 13: 356 (abstract).
- Stimart D. P., Ascher P. D. (1981). Developmental response of *Lilium longiflorum* bulblets to constant or alternating temperatures *in vitro*. *Journal of the American Society for Horticultural Science*, 106: 450-454.
- Szendrak E., Debergh P., Jambor-Benzur E. (1994). Report on some environmental effects on *in vitro* propagation and the scanning electron microscope studies of the development of germination of *Orchis morio* Linne (Orchidaceae). *HortScience*, 26: 95-97.
- Tawfik A. A., Read P. E., Cuppett S. L. (1992). Effect of some nutritional factors on monoterpene synthesis in *Rosmarinus officinalis* cultured *in vitro*. *Acta Horticulturae*, 319: 189-193.
- TenHouten J. G., Quak F., van der Meer F. A. (1968). Heat treatment and meristem culture for the production of virus-free plant material. *Netherlands Journal of Plant Pathology*, 74: 17-24.
- Thimann K. V. (1935). On an analysis of activity of two growth-promoting substances on plant tissues. Proceedings Koninklijke Nederlandse Akademie van Wetenschappen, 38: 896-912.
- Thimann K. V., Went F. W. (1934). On the chemical nature of the root-forming hormone. Proceedings Koninklijke Nederlandse Akademie van Wetenschappen, 37: 456-459.
- Thorpe T. A., Murashige T. (1970). Some histochemical changes underlying shoot initiation in tobacco callus cultures. *Canadian Journal of Botany*, 48: 277-285.
- Tran Thanh Van K. (1973). Direct flower neoformation from superficial tissue of small explants of *Nicotiana tabacum* L. *Planta*, 115: 87-92.
- Van der Plas L. H. W., Wagner M. J. (1986). Effect of oxygen on growth and respiration of potato tuber callus. *Plant Cell, Tissue and Organ Culture*, 7: 217-225.
- Van Sambeek J. W., Lambus L. J., Preece J. E. (1997). Production of epicormic sprouts on branch segments of adult black walnut for *in vitro* culture. *In*: 88<sup>th</sup> Annual Report of Northern Nut Growers Association: 93-104.
- Van Sambeek J. W., Preece J. E. (1999). Forcing environment affects epicormic sprout production from branch segments for vegetative propagation of adult hardwoods. Combined Proceedings of International Plant Propagators' Society, 49: 156-158.
- Villalobos V. M., Leung D. W. M., Thorpe T. A. (1984). Light-cytokinin interaction in shoot formation in cultured cotyledon explants of radiata pine. *Physiologia Plantarum*, 61: 497-504.
- Von Arnold S., Tillberg E. (1987). The influence of cytokinin pulse treatments on adventitious bud formation on vegetative buds of *Picea abies*. *Plant Cell, Tissue Organ Culture*, 9: 253-261.
- Wainwright H., Flegmann A. W. (1984). The influence of light on the micropropagation of black currant. *Journal of Horticultural Science*, 59: 387-393.

- Wang P. J., Hu C. Y. (1982). *In vitro* mass tuberization and virus-free seed-potato production in Taiwan. *American Potato Journal*, 59: 33-37.
- Ward H. B., Vance B. D. (1967). Effects of monochromatic radiation on growth of *Pelargonium* callus tissue. *Journal of Experimental Botany*, 19: 119-124.
- Werckmeister P. (1971). Light induction of geotropism and the control of proliferation and growth of *Cymbidium* in tissue culture. *Botanical Gazette*, 132: 346-350.
- White F. F., Sinkar V. P. (1987). Molecular analysis of root induction by *Agrobacterium rhizogenes*. In: Hohn T., Schell J. (Eds.). *Plant DNA infectious agents*, Springer Verlag, New York, 348 pp.
- White P. R. (1934). Potentially unlimited growth of excised tomato root tips in a liquid medium. *Plant Physiology*, 9: 585-600.
- White P. R. (1963). *The Cultivation of Animal and Plant Cells*. 2<sup>nd</sup> ed. Ronald Press, New York, 228 pp.
- Wu C-H., Dewir Y. H., Hahn E-J., Paek K-Y. (2007). Optimization of the culture conditions for the biomass and phenolics production from adventitious roots of *Echinacea angustifolia*. *Acta Horticulturae* (in press).
- Yang Q-G., Zhang L. (1987). Studies on the sprouting of the dormant shoots and their shoot proliferation and root initiation of the Japanese apple "Coloured Fuji No. 2" *in vitro*. *Journal of Anhui Agricultural College (PRC)*, 14: 31-34.
- Zachary S. W. (1981). The role of tissue culture in preserving threatened and endangered plant species. *Biological Conservation*, 20: 83-89.
- Zhui L-H., Zhang S., Larson S., Welander M. (2007). Introduction of *Arabidopsis* gai gene into carnation caused early flowering. *Acta Horticulturae* (in press).
- Ziv M. (1992). Morphogenic control of plants micropropagated in bioreactor cultures and its possible impact on acclimatization. *Acta Horticulturae*, 319: 119-124.
- Ziv M., Lilien-Kipnis H. (1997). Bud clusters proliferation in bioreactor cultures of *Ornithogalum dubium*. *Acta Horticulturae*, 430: 307-309.
- Ziv M., Naor V. (2006). Flowering of geophytes *in vitro*. *Propagation of Ornamental Plants*, 6: 3-16.