

TISSUE CULTURE TECHNOLOGIES FOR MICROPROPAGATION, *IN VITRO* REGENERATION AND GENETIC IMPROVEMENT OF POINSETTIA

Marcos Castellanos, Brian Power, and Michael Davey*

Plant Sciences Division, School of Biosciences, University of Nottingham,
Sutton Bonington Campus, Loughborough LE12 5RD, United Kingdom,
*Fax: +44 (0)115 9513664, *Email: mike.davey@nottingham.ac.uk

REFERENCES

- Anthony P., Davey M. R., Power J. B., Lowe K. C. (1995). An improved protocol for the culture of cassava leaf protoplasts. *Plant Cell, Tissue and Organ Culture*, 42: 299-302.
- Barret J., Hammer A. (2002). Best of the best: 2001 poinsettia trials. *Greenhouse Product News*, 12: 24-26.
- Bech K., Rasmussen K. (1996). *Euphorbia pulcherrima*. Methods to eliminate poinsettia mosaic virus (PnMV) and reinfection by different methods to reveal the 'nature' of the branching factor. *Acta Horticulturae*, 432: 176-186.
- Benson M., Hall J., Moorman G. W., Daughtrey M., Chase A., Lamour K. (2002). The history and diseases of poinsettia, the Christmas flower. Online. *Plant Health Progress* (February 12th). *Journal of Applied Plant Health*. Retrieved July 15th, 2007 from <http://www.plantmanagementnetwork.org/pub/php/review/xmasflower>
- Binding H., Nehls R. (1977). Regeneration of isolated protoplasts to plants in *Solanum dulcamara* L. *Zeitschrift für Pflanzenphysiologie*, 85: 279-280.
- Binding H., Gorschen E., Jorgensen J., Krumbiegel-Schroeren G., Ling H. Q., Rudnick J., Sauer A., Zuba M., Mordhorst G. (1988). Protoplast culture in agarose media with particular emphasis to streaky culture lenses. *Botanica Acta*, 101: 233-239.
- Binding H., Gorschen E., Hassanein A. M., Qing L. H., Mordhorst G., Puck G., Rudnick J., Rong W. G., Truberg B. (1992). Plant development from protoplasts of members of Bryophyta, Pteridophyta and Spermatophyta under identical conditions. *Physiologia Plantarum*, 85: 295-300.
- Bradel B. G., Preil W., Jeske H. (2000). Sequence analysis and genome organisation of poinsettia mosaic virus (PnMV) reveal closer relationship to marafiviruses than to tymoviruses. *Virology*, 271: 289-297.
- Brandau K., Preil W., Lieberei R. (1997). Differences in compounds released by embryogenic and non-embryogenic suspension cultures of *Euphorbia pulcherrima*. *Biologia Plantarum*, 39: 113-124.
- Casanova E., Trillas M. A., Moysset L., Vainstein A. (2005). Influence of *rol* genes in floriculture. *Biotechnology Advances*, 23: 3-39.
- Castellanos M., Power J. B., Davey M. R. (2006). Somatic embryogenesis in red- and white-bract cultivars of poinsettia. *Propagation of Ornamental Plants*, 6: 61-66.
- Chandler S. F., Lu C. (2005). Biotechnology in ornamental horticulture. *In Vitro Cellular and Developmental Biology-Plant*, 41: 591-601.
- Cheng M., Lowe B., Spencer M., Ye X., Armstrong C. (2004). Factors influencing *Agrobacterium*-mediated transformation of monocotyledonous species. *In Vitro Cellular and Developmental Biology-Plant*, 40: 31-45.
- Clarke J. L., Klemsdal S. S., Floistad E., Hvoslef-Eide A. K., Haugslie S., Moe R., Blystad D. R. (2006). Genetic engineering of poinsettia with the aim of enhancing its resistance to poinsettia mosaic virus. *Acta Horticulturae*, 722: 321-325.
- D'Onofrio C., Morini S. (2001). Effect of light quality on *in vitro* production of callus in explants of three poinsettia cultivars. *Acta Horticulturae*, 560: 449-451.
- Davey M. R., Anthony P., Power J. B., Lowe K. C. (2005). Plant protoplasts: status and biotechnological perspectives. *Biotechnology Advances*, 23: 131-171.
- Davis D. G., Olson P. A. (1993). Organogenesis in leafy spurge (*Euphorbia esula* L.). *In Vitro Cellular and Developmental Biology-Plant*, 29: 97-101.

- De Langhe E., Debergh P., Van Rik R. (1974). *In vitro* culture as a method for vegetative propagation of *Euphorbia pulcherrima*. *Zeitschrift für Pflanzenphysiologie*, 71: 217-274.
- Dewir Y. H., Chakrabarty D., Hahn E. J., Paek K. Y. (2005). Reversion of inflorescence development in *Euphorbia millii* and its application to large-scale micropropagation in an air-lift bioreactor. *Journal of Horticultural Science and Biotechnology*, 80: 581-587.
- Ecke P., Faust J., Williams J., Higgins A. (2004). *The Ecke Poinsettia Manual*. Ball Publishing, Batavia, USA, 302 pp.
- Encheva J., Tsvetkova F., Ivanov P. (2003). A comparison between somaclonal variation and induced mutagenesis in tissue culture of sunflower line Z-8-A (*Helianthus annuus* L.). *Helia*, 38: 91-98.
- Gaj M. D. (2004). Factors influencing somatic embryogenesis induction and plant regeneration with particular reference to *Arabidopsis thaliana* (L.) Heynh. *Plant Growth Regulation*, 43: 27-47.
- Gamborg O. L., Miller R. A., Ojima K. (1968). Nutrient requirements of suspension cultures of soybean root cells. *Experimental Cell Research*, 50: 151-158.
- Geier T., Beck A., Preil W. (1992). High uniformity of plants regenerated from cytogenetically variable embryogenic suspension cultures of poinsettia (*Euphorbia pulcherrima* Willd. ex Klotzsh). *Plant Cell Reports*, 11: 150-154.
- Groll J., Gray V. M., Mycock D. J. (2002). Development of cassava (*Manihot esculenta* Crantz.) somatic embryos during culture with abscisic acid and activated charcoal. *Journal of Plant Physiology*, 159: 437-443.
- Grotkass C., Lieberei R., Preil W. (1995). Polyphenoloxidase activity and activation in embryogenic and non-embryogenic suspension cultures of *Euphorbia pulcherrima*. *Plant Cell Reports*, 14: 428-431.
- Hammond J. (2006). Current status of genetically modified ornamentals. *Acta Horticulturae*, 722: 117-128.
- Hartley D. E. (1992). Poinsettias. In: Larson R. A. (Ed.). *Introduction to Floriculture*. Academic Press, New York, USA: 306-331.
- Ho C. W., Jian W. T., Lai H. C. (2006). Plant regeneration via somatic embryogenesis from suspension cell cultures of *Lilium × formolongi* Hort. using a bioreactor system. *In Vitro Cellular and Developmental Biology-Plant*, 42: 240-246.
- Hvoslef-Eide A. K. (2006). New poinsettia colours via electrophoresis transformation technique. *Agricell Report*, 47: 26.
- Jakobek J. L., Backhaus R. A., Herman K. (1986). Micropropagation of candelilla, *Euphorbia antisyphilitica* Zucc. *Plant Cell, Tissue and Organ Culture*, 7: 145-148.
- Jasrai Y. T., Thaker K. N., D'Souza C. (2003). *In vitro* propagation of *Euphorbia pulcherrima* Willd. through somatic embryogenesis. *Plant Tissue Culture*, 13: 31-36.
- Jayasree P. K., Thulaseedharan A. (2005). *In vitro* germination of *Hevea* somatic embryos: effect of cytokinins. *Plant Cell Biotechnology and Molecular Biology*, 6: 61-64.
- Jerardo A. (2006). *Floriculture and Nursery Crops Outlook*. Online. Economic Research Service. United States Department of Agriculture Publications. Retrieved July 18th, 2007 from <http://www.ers.usda.gov/Publications/Flo/2006/09Sep/FLO05.pdf>
- Kao K. N., Michayluk M. R. (1975). Nutritional requirements for growth of *Vicia hajastana* cells and protoplasts at a very low population density in liquid media. *Planta*, 126: 105-110.
- Kirk T. (2005). National poinsettia cultivar trials. Online. Retrieved July 20th, 2007 from <http://www.poinsettia-trial.org>
- Konan N. K., Schoepke C., Carcamo R., Beachy R. N., Fauquet C. (1997). An efficient mass propagation system for cassava (*Manihot esculenta* Crantz) based on nodal explants and axillary bud-derived meristems. *Plant Cell Reports*, 16: 444-449.
- Larson R. A., McCall I. F. (1997). The 1996 poinsettia cultivar trial: a different approach. *North Carolina Flower Growers' Bulletin*, 42: 1-6.
- Lau A. (2005). Foes of Prop. A fear loss of farmland / Ecke Ranch wants to sell 38 acres for development. Online. *The San Diego Union – Tribune* (October 15th). Retrieved July 16th, 2007 from <http://www.signonsandiego.com/news/northcounty/20051015-99991mc15ecke.html>
- Lin M. (2006). Induction and differentiation of callus in *Euphorbia pulcherrima*. *Journal of Southwest University of Science and Technology*, 21: 109-112.
- Markey S. (2002). For poinsettia growers, it's showtime. Online. *National Geographic News*. Retrieved July 20th, 2007 from http://news.nationalgeographic.com/news/2002/12/1212_021212_poinsettias.html
- Martin K. P., Sunandakumari C., Chithra M., Madhusoodanan P. V. (2005). Influence of auxins in direct *in vitro* morphogenesis of *Euphorbia nivulia*, a lectinaceous medicinal plant. *In Vitro Cellular and Developmental Biology-Plant*, 41: 314-319.

- McAvoy R., KhodaKovaskaya M., Li Y. (2007). Method and composition for increasing branching and flowering response in plants. Online. United States Patent 20070083948. FreePatentsOnLine. Retrieved September 1st, 2007 from <http://www.freepatentsonline.com/20070083948.html>
- Mendanha A., Almeida R. A., Barros A. (1998). Micropropagation of rubber trees (*Hevea brasiliensis* Muell. Arg.). *Genetics and Molecular Biology*, 21: 395-398.
- Murashige T., Skoog F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiologia Plantarum*, 15: 473-497.
- Nataraja K. (1975). Morphogenesis in embryonal callus of *Euphorbia pulcherrima* *in vitro*. *Current Science*, 44: 136-137.
- Nataraja K., Chennaveerajah M. S., Girigowda P. (1973). *In vitro* production of shoot buds in *Euphorbia pulcherrima*. *Current Science*, 42: 577-578.
- Osternack N., Saare-Surminski K., Preil W., Lieberei R. (1999). Induction of somatic embryos, adventitious shoots and roots in hypocotyl tissue of *Euphorbia pulcherrima* Willd. ex. Klotzsch: comparative studies on embryogenic and organogenic competence. *Journal of Applied Botany*, 73: 197-201.
- Paludan N., Begtrup J. (1986). Inactivation of poinsettia mosaic virus and poinsettia cryptic virus in *Euphorbia pulcherrima* using heat treated mini-cuttings and meristem-tip culture. *Tidsskrift for Planteavl*, 90: 283-290.
- Pati P. K., Rath S. B., Sharma M., Sood A., Ahuja P. S. (2006). *In vitro* propagation of rose – a review. *Biotechnology Advances*, 24: 94-114.
- Pickens K. A., Cheng Z. M., Trigiano R. N. (2005). Axillary bud proliferation and organogenesis of *Euphorbia pulcherrima* Winter Rose™. *In Vitro Cellular and Developmental Biology-Plant*, 41: 770-774.
- Pickens K. A., Cheng Z. M., Kania S. A. (2006). Effects of colchicine and orizalin on callus and adventitious shoot formation of *Euphorbia pulcherrima* ‘Winter Rose’. *HortScience*, 41: 1651-1655.
- Pospisilova J. (1996). Hardening by abscisic acid of tobacco plantlets grown *in vitro*. *Biologia Plantarum*, 38: 605-609.
- Pospisilova J., Wilhelmova N., Synkova H., Catsky J., Krebs D., Ticha I., Hanackova B., Snopek J. (1998). Acclimation of tobacco plantlets to *ex vitro* conditions as affected by application of abscisic acid. *Journal of Experimental Botany*, 49: 863-869.
- Pospisilova J., Ticha I., Kadlec P., Haisel D., Plzakova S. (1999). Acclimatization of micropropagated plants to *ex vitro* conditions. *Biologia Plantarum*, 42: 481-497.
- Preil W. (1994). *In vitro* culture of Poinsettia. In: Stromme E. (Ed.). *The Scientific Basis of Poinsettia Production*. Advisory Service, Agricultural University of Norway: 49-55.
- Preil W., Beck A. (1991). Somatic embryogenesis in bioreactor culture. *Acta Horticulturae*, 289: 179-192.
- Preil W., Koenig R., Engelhardt M., Meier-Dinkel A. (1982). Elimination of poinsettia mosaic virus (PoiMV) and poinsettia cryptic virus (PoiCV) from *Euphorbia pulcherrima* Willd. by cell suspension culture. *Phytopathologische Zeitschrift*, 105: 193-197.
- Preil W., Engelhardt M., Walther F. (1983). Breeding of low temperature tolerant poinsettia (*Euphorbia pulcherrima*) and chrysanthemum by means of mutation induction in *in vitro* culture. *Acta Horticulturae*, 131: 345-355.
- Preil W., Florak P., Wix U., Back A. (1988). Towards mass propagation by use of bioreactors. *Acta Horticulturae*, 226: 99-107.
- Raemakers K., Jacobsen E., Visser R. (2000). The use of somatic embryogenesis for plant propagation in cassava. *Molecular Biotechnology*, 14: 215-222.
- Razdan M. K. (2003). *Introduction to Plant Tissue Culture*. Science Publishers, Inc., Enfield, USA, 375 pp.
- Ripley K. P., Preece J. E. (1986). Micropropagation of *Euphorbia lathyris* L. *Plant Cell, Tissue and Organ Culture*, 5: 213-218.
- Rout G. R., Mohapatra A., Mohan-Jain S. (2006). Tissue culture of ornamental pot plant: a critical review on present scenario and future prospects. *Biotechnology Advances*, 24: 531-560.
- Roy S. K., Jinnah M. (2001). *In vitro* micropropagation of poinsettia (*Euphorbia pulcherrima* Willd.). *Plant Tissue Culture*, 11: 133-140.
- Saare-Surminski K., Preil W., Know P. J., Lieberei R. (2000). Arabinogalactan proteins in embryogenic and non-embryogenic callus cultures of *Euphorbia pulcherrima*. *Physiologia Plantarum*, 108: 180-187.
- Seon J. H., Cui Y. Y., Kozai T., Paeki K. Y. (2000). Influence of *in vitro* growth conditions on photosynthetic competence and survival rate of *Rehmannia glutinosa* plantlets during acclimatization period. *Plant Cell, Tissue and Organ Culture*, 61: 135-142.
- Shen X., Chen J., Kane M., Henny R. (2007). Assessment of somaclonal variation in *Dieffenbachia* plants regenerated through indirect shoot organogenesis. *Plant Cell, Tissue and Organ Culture*, 91: 21-27.

- Smith, F. D., Gadoury D. M., Van Eck J. M., Blowers A., Sanford J. C., Van Der Meij J., Eisenreich R. (1998). Enhanced resistance to powdery mildew in transgenic poinsettia conferred by antimicrobial peptides. *Phytopathology*, 88: S83.
- Smith F., Chou T. S., Eisenreich R., Sanford J., Blowers A., Van Eck J. (2006). Production of transgenic poinsettia. Online. United States Patent 7119262. PatentStorm. Retrieved September 1st, 2007 from <http://www.patentstorm.us/patents/7119262.html>
- Sofiari E., Raemakers C. J., Bergervoet J. E., Jacobsen E., Visser R. G. (1998). Plant regeneration from protoplasts isolated from friable embryogenic callus of cassava. *Plant Cell Reports*, 18: 159-165.
- Stewart R. N. (1960). Inheritance of bract colour in poinsettia. *Journal of Heredity*, 51: 175-177.
- Sunandakumari C., Zhang C. L., Martin K. P., Slater A., Madhusoodanan P. V. (2005). Effect of auxins on indirect *in vitro* morphogenesis and expression of *gusA* transgene in a lectinaceous medicinal plant, *Euphorbia nivulia* Buch.-Ham. *In Vitro Cellular and Developmental Biology-Plant*, 41: 695-699.
- Sushamakumari S., Asokan M. P., Anthony P., Lowe K. C., Power J. B., Davey M. R. (2000). Plant regeneration from embryogenic cell suspension-derived protoplasts of rubber. *Plant Cell, Tissue and Organ Culture*, 61: 81-85.
- Tapia C. (2002). All in the breeding: man's best friend meets America's favourite "flower". Online. San Diego CityBEAT (December 25th). Retrieved July 19th, 2007 from <http://www.sdcitybeat.com/issue.php?IssueNum=19#>
- Uchida H., Nakayachi O., Otani M., Kajikawa M. Kohzu Y., Yamato K., Fukusawa H., Shimada T., Ohyama K. (2004). Plant regeneration from internode explants of *Euphorbia tirucalli*. *Plant Biotechnology*, 21: 397-399.
- Vain P. (2007). Thirty years of plant transformation technology development. *Plant Biotechnology Journal*, 5: 221-229.
- Verma N., Ram R., Hallan V., Kumar K., Zaidi A. (2004). Production of cucumber mosaic virus-free chrysanthemums by meristem tip culture. *Crop Protection*, 23: 469-473.
- Vik N. I., Hvoslef-Eide A. K., Gjerde H., Bakke K. (2001). Stable transformation of poinsettia via electrophoresis. *Acta Horticulturae*, 560: 101-103.
- White P. R. (1943). *A handbook of plant tissue culture*. The Jacques Cattell Press, Lancaster USA, 277 pp.
- Wilkerson D., Barnes L., Drees B., Hall C. (1999). *The Texas poinsettia producers guide*. Online. Texas Agricultural Extension Service, Texas A&M. <http://aggie-horticulture.tamu.edu/greenhouse/nursery/guides/poinsettia/>
- Ying X., Gang W. (2006). Studies on high quality somatic embryogenesis applied to artificial seed of *Euphorbia pulcherrima* Willd. *Acta Horticulturae Sinica*, 33: 175-178.